



**30 ZLATNIH
GODINA!**

**30 GOLDEN
YEARS!**

**PROIZVODNI
KATALOG 2023**

PRODUCT CATALOGUE 2023



Kontakt

Contact



Podavalska 2b, 11231, Belgrade



www.maktrade.rs



@maktradegroupdoo



@maktrade



+38111 3531700
+38160 8222269



+38111 8042425



ZVANIČNA MEJL ADRESA / OFFICIAL E-MAIL
office@maktrade.rs
komercijala@maktrade.rs
tenderi@maktrade.rs

O nama



30 godina dizajniramo proizvode i stvaramo rešenja u svetu elektromaterijala i iz oblasti automatike, elektroinstalacionog materijala i elektro galanterije, rasvetnih tela i pribora ventilacionih uređaja i dodatne opreme, grejnih tela, rezervnih delova bele tehnike, danas smo kompanija koja broji preko 120 zaposlenih, izvozimo u preko 30 zemalja

Lojalnost naših kupaca, partnera ali i naših zaposlenih temelj su našeg uspeha.

Negujemo kulturu ponašanja koja podrazumeva da kroz komunikaciju saznamo šta je zaista važno uz visok stepen razumevanja i strpljenja.

Pažljivo osluškujemo potrebe naših kupaca i prilagođavamo se kako bi smo im bili pouzdan i siguran partner za obostrani uspeh sa ciljem da traje.



About Us

We have been designing products and creating solutions in the world of electrical materials for 30 years in areas of automation, electrical installation materials and electrical accessories, lighting fixtures and accessories, ventilation devices and accessories, radiators, spare parts for electrical appliances, today we are a company with over 120 employees, we export to over 30 countries.

The loyalty of our customers, partners and our employees is the foundation of our success.

We nurture a culture of behavior that means finding out what through communication is really important with a high degree of understanding and patience.

We listen carefully to needs of our customers and we adapt to be their reliable and secure partner for mutual success with the goal of lasting.

Naša misija

Osnovni zadatak MAK TRADE GROUP je da proizvodi i distribuira kvalitetne i ekološke proizvode, obezbedi kvalitet života zaposlenih i izgradi odgovoran odnos prema društvenim potrebama.

Na ovaj put krenuli smo pre 30 godina odlukom da naši proizvodi budu prepoznatljivi po kvalitetu, trajnošću i energetske efikasnošću.

Nastojimo da kao kompanija podstičemo podizanje kvaliteta u društvenom i prirodnom kontekstu.

Vodi nas kreativnost, i ljubav prema ideji da kvalitet života svojim proizvodima učinimo dostupnim svakom domu i tamo gde su dobra tehnološka rešenja potrebna.

Our Mission

The basic task of MAK TRADE GROUP is to produce and distribute quality and environmentally friendly products, ensure the quality of life of employees and build a responsible relationship according to social needs.

We embarked on this journey 30 years ago with the decision to make our products recognizable by their quality, durability and energy efficiency.

As a company, we strive to encourage quality raising in a social and natural context. We are guided by creativity, and love for the idea that the quality of life is its products make it available to every home and where they are good technological solutions needed

Naš tim

Verujemo da je ključ produktivnosti u zadovoljstvu zaposlenih.

Mi smo tim različitih pojedinaca koje karakteriše slična motivacija i konstruktivan pristup prema drugim članovima tima.

Zajedno ostvarujemo ciljeve koje je nemoguće ostvariti sam. Ponekada radimo na granicama svojih intelektualnih i fizičkih mogućnosti ali svaki naš rad biva nagrađen željenim znanjem.

Cenimo znanje, iskustvo, vještinu i posvećenost naših zaposlenih i upravo je u tome naša



Our team

We believe that the key to productivity is employee satisfaction.

We are a team of different individuals characterized by a similar motivation and a constructive approach to change other team members.

Together we achieve goals that are impossible to achieve alone. Sometimes we work on our limits intellectual and physical capabilities but each of our work is rewarded with the desired knowledge.

We appreciate them, experience, skill and dedication of our employees and that is exactly our strength



Kvalitet /standard/ Sertifikati

Vođeni smo idejom da je klijentu neophodno ponuditi proizvod visokog kvaliteta.

MAK TRADE GROUP već dugi niz godina posluje u skladu sa najvišim međunarodnim standardima, uspostavljenim menadžmentom kvaliteta ISO 9001, kao i standardima ISO 14001, OHSAS 18001 i ISO 45001.

Proizvodi MTG i M-T brenda zadovoljavaju visoke međunarodne standarde u pogledu kvaliteta i garancije, što dokazuju sertifikati slovenačkog instituta SIQ Ljubljana, kao i sertifikati i potvrde o usaglašenosti domaćih akreditovanih institucija. Naši najprodavaniji proizvodi poseduju potvrde o usaglašenosti i izjave za stavljanje CE oznaka, koje su neophodne da bi se našli na probirljivom tržištu EU.

Kvalitet naših proizvoda je veoma cenjen, zahvaljujući dugoročnom ulaganju u istraživanje i razvoj proizvoda, alata, primeni komponenti i materijala visokog kvaliteta, savremenih tehnologija i dopadljivog industrijskog dizajna.

Quality standard Certificates



We are guided by the idea that it is necessary to offer the client a high quality product, MAK TRADE GROUP, has been operating in accordance with the highest international standards, established for many years quality management ISO 900, as well as standards ISO 14001 and OHSAS 18001 and ISO 45001.

MTG and M-T brand products meet high international standards in terms of quality and warranty, which evidenced by certificates of the Slovenian Institute SIQ Ljubljana, as well as certificates and certificates of conformity of domestic accredited institutions.

Our best-selling products have certificates of conformity and affixes CE markings, which are necessary to be on the picky EU market.

The quality of our products is highly appreciated, thanks to long-term investment in research and development of products, tools, application of components and materials high quality, modern technologies and appealing industrial design.



PRODUCT CATALOGUE 2023

**...WE DESIGNED
WAY OF LIFE**



Sadržaj

KUPATILSKI VENTILATORI BATHROOM FANS



MTG A100XS / A120XS / A150XS **01-12**



MTG A100SXS / A120SXS **13-22**



**MTG A100SXS-S / A120SXS-S /
A100XS-S / A120XS-S / A150XS-S** **23-33**



MTG A100XM / A100XM-S **34-41**



MTG A100M / A100MX **42-45**



MTG A100M-S / A100MX-S **46-49**



**MASKE ZA KUPARILSKE VENTILATORE
MASKS FOR BATHROOM FANS** **50-61**



MTG A100 / A120 / A150 **62-69**



MTG A100S / A120S **70-75**



MTG A100N / A120N / A150N **76-83**



MTG A100C / A120C / A100CS / A120CS **84-89**



**VENTILATORI - PRATEĆA OPREMA
VENTILATOR ACCESSORIES** **90-95**



**VENTILACIONE REŠETKE ABS
VENTILATION GRILLES ABS** **96-103**



**VIŠENAMENSKI VENTILATORI
MULTIFUNCTIONAL VENTILATORS** **104-106**



**VENTILACIONE REŠETKE
VENTILATION GRILLES** **107-125**

Sadržaj

126-153	VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE MULTIPLE PORTABLE SOCKETS-OUTLETS	
154-171	VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE ALUMINIJUMSKE MULTIPLE PORTABLE SOCKETS ALUMINIUM	
172-188	PRIKLJUČNI KABLOVI CONNECTION CABLES	
189-197	JEDNOSTRUKÉ PRENOSNE PRIKLJUČNICE SINGLE PORTABLE SOCKETS-OUTLETS	
198-209	KABLOVSKE MOTALICE CABLE REELS	
210-217	PRENOSIVI GRAĐEVINSKI ORMANI PORTABLE POWER DISTRIBUTION	
218-221	MOTORNE ZAŠTITE MANUAL MOTOR PROTECTORS/STARTERS	
222-223	KABLOVSKE SPOJNICE CABLE CONNECTORS	
224-235	RAZVODNE KUTIJE OG JUNCTION BOXES OG	
236-239	ELEKTRIČNI KALORIFERI FAN HEATERS- CALORIFERS	
240-241	GREJALICE KUPATILSKE BATHROOM HEATERS	
242-250	LINIJSKI SISTEM RASVETE LINEAR LIGHTING SYSTEM	
251-254	VUŠENAMENSKE LED LAMPE MULTIFUNCTIONAL LED LAMPS	
255-259	NADGRADNI RAMOVI ZA LED PANELE MOUNTING FRAMES FOR LED PANELS	
260	KONFEKSIONIRANJE KABLOVA CONFECTIONING OF CABLES	

Kupatilski ventilatori Bathroom fans

MTG A100XS / A120XS / A150XS

Ventilatori serije XS su dizajnirani za ventilaciju stambenog ili poslovnog prostora.

Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Imaju duže telo sa žabicama za laku montažu. Termička zaštita sprečava pregrevanje motora.


The bathroom fans series XS are designed to ventilate housing or office space.

They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic.


The XS series bathroom fans have a longer fan body with hooks for easy installation. Thermal protection prevents the motor from overheating.



MTG A100XS / MTG A120XS / A150XS




230V / 50Hz
Klasa II
Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100XS	100	98	13	140
MTG A120XS	120	100	18	170
MTG A150XS	150	100	18	170


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*



MTG A100XS
BEŽ / BEIGE




Žabice za laku montažu
Easy mounting system

MTG A100XS
Ø100



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401052	MTG A100XS	standard/ <i>standard</i>		 8 605009 127301
401054	MTG A100XS-K	klapna / <i>flap</i>		 8 605009 127318
402015	MTG A100XS-T	tajmer+klapna / <i>timer+flap</i>		 8 605009 127325
402010	MTG A100XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605009 127332



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

speed

protok
vazduha

98

air flow



nivo buke

31

noise

masa

0,45

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A100XS

SREBRNI / SILVER




Žabice za laku montažu
Easy mounting system

MTG A100XS

Ø100



Veoma tihi
Very silent



Lako skidanje panela
Easy removable cover

SREBRNI / SILVER

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401053	MTG A100XS	standard/ <i>standard</i>		 8 605 009 112793 6
401055	MTG A100XS-K	klapna / <i>flap</i>		 8 605 009 112794 3
402016	MTG A100XS-T	tajmer+klapna / <i>timer+flap</i>		 8 605 009 112795 0
402012	MTG A100XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605 009 112796 7



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.
rpm

speed

protok
vazduha

98

m³/h

air flow



nivo buke

31

dB(A)

noise

masa

0,45

kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A100XS

SVETLO DRVO / LIGHT WOOD




Žabice za laku montažu
Easy mounting system

MTG A100XS

Ø100



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401056	MTG A100XS-K	klapna / flap		 8 605009 132534
402017	MTG A100XS-T	tajmer+klapna / timer+flap		 8 605009 132558
402013	MTG A100XS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 132572



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow



nivo buke

31
dB(A)

noise

masa

0,45
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)




Klapna (K)/
Flap (K)



MTG A100XS

TAMNO DRVO / DARK WOOD




Žabice za laku montažu
Easy mounting system

MTG A100XS

Ø100



Veoma tihi
Very silent



Lako skidanje panela
Easy removable cover

TAMNO DRVO / DARK WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401057	MTG A100XS-K	klapna / flap		 8 605 009 132 527
402018	MTG A100XS-T	tajmer+klapna / timer+flap		 8 605 009 132 541
402014	MTG A100XS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605 009 132 565



napon
230V
voltage

snaga
15W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
98
m³/h
air flow

nivo buke
31
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A120XS
BEŽ / BEIGE




Žabice za laku montažu
Easy mounting system

MTG A120XS
Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401118	MTG A120XS	standard/ <i>standard</i>		 8 1605009 112744 8
401122	MTG A120XS-K	klapna / <i>flap</i>		 8 1605009 112745 5
402038	MTG A120XS-T	tajmer+klapna / <i>timer+flap</i>		 8 1605009 112746 2
402033	MTG A120XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 1605009 112747 9



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450

ob/min.
rpm

speed

protok

vazduha

190

m³/h

air flow

nivo buke

39

dB(A)

noise

masa

0,60

kg

mass

Tajmer (T)

3-15 min/

Timer (T)

3-15 min



Higro (H)

Hygro (H)



Klapna (K)

Flap (K)



MTG A120XS
SREBRNI / SILVER




Žabice za laku montažu
Easy mounting system

MTG A120XS
Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SREBRNI / SILVER

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401119	MTG A120XS	standard/ <i>standard</i>		 8 605009 112800 1
401123	MTG A120XS-K	klapna / <i>flap</i>		 8 605009 112801 8
402040	MTG A120XS-T	tajmer+klapna / <i>timer+flap</i>		 8 605009 112802 5
402035	MTG A120XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605009 112803 2



napon
230V
voltage

snaga
20W
power

zaštita
IP-X4
protection

brzina
2450
ob/min.
rpm
speed

protok
vazduha
190
m³/h
air flow

nivo buke
39
dB(A)
noise

masa
0,60
kg
mass


Tajmer (T)
3-15 min/
Timer (T)
3-15 min

Higro (H1)/
Hygro (H)

Klapna (K1)/
Flap (K)

MTG A120XS

SVETLO DRVO / LIGHT WOOD




Žabice za laku montažu
Easy mounting system

MTG A120XS

Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401124	MTG A120XS-K	klapna / flap		 8 605009 1132596
402041	MTG A120XS-T	tajmer+klapna / timer+flap		 8 605009 1132619
402036	MTG A120XS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 1132633



napon
230V
voltage

snaga
20W
power

zaštita
IP-X4
protection

brzina
2450
ob/min.
rpm
speed

protok
vazduha
190
m³/h
air flow

nivo buke
39
dB(A)
noise

masa
0,60
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A120XS

TAMNO DRVO / *DARK WOOD*




Žabice za laku montažu
Easy mounting system

MTG A120XS

Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

TAMNO DRVO / *DARK WOOD*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
401125	MTG A120XS-K	klapna / <i>flap</i>		 8 605009 132589
402042	MTG A120XS-T	tajmer+klapna / <i>timer+flap</i>		 8 605009 132602
402037	MTG A120XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605009 132626



napon
230V
voltage

snaga
20W
power

zaštita
IP-X4
protection

brzina
2450
ob/min.
rpm
speed

protok
vazduha
190
m³/h
air flow

nivo buke
39
dB(A)
noise

masa
0,60
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H1)/
Hygro (H)



Klapna (K1)/
Flap (K)



MTG A150XS

BEŽ / BEIGE




MTG A150XS

Ø150



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401120	MTG A150XS	standard/ <i>standard</i>		 8 605009 128230
401126	MTG A150XS-K	klapna / <i>flap</i>		 8 605009 128247
401129	MTG A150XS-T	tajmer+klapna / <i>timer+flap</i>		 8 605009 128254
401121	MTG A150XS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605009 128261



napon

230V

voltage

snaga

25W

power

zaštita

IP-X4

protection

brzina

2600
ob/min.
rpm

speed

protok
vazduha

320
m³/h

air flow

nivo buke

41
dB(A)

noise

masa

0,80
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H1)/
Hygro (H)




Klapna (K)/
Flap (K)



MTG A150XS

BEŽ / BEIGE



Kupatilski ventilatori Bathroom fans

MTG A100SXS / A120SXS

Ventilatori serije SXS su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa.

Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza.

Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Imaju kraće telo bez žabica za laku montažu, pa se moraju ugraditi u otvor fiksiranjem tiplovima i vijcima. Termička zaštita sprečava pregrevanje motora.


The bathroom fans series SXS are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented.

The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick.


The fans body, mask and blades are made of quality ABS plastic. The SXS series bathroom fans have a shorter fan body without hooks for easy installation, so they must be installed in the opening by fixing with dowels and screws. Thermal protection prevents the motor from overheating.



MTG A100SXS / MTG A120SXS




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100SXS	100	75	13	140
MTG A120SXS	120	100	18	170


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na plafon
Onto ceiling



Na prozor
(pomoću prirubnice)
*On window
(with flange)*




MTG A100SXS
BEŽ / BEIGE



MTG A100SXS
Ø100



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401043	MTG A100SXS	standard / <i>standard</i>		 8 605 009 127349
401045	MTG A100SXS-K	klapna / <i>flap</i>		 8 605 009 127356
401050	MTG A100SXS-KP	klapna+prirubnica / <i>flap+flange</i>		 8 605 009 127363



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

speed

protok
vazduha

98

air flow



nivo buke

31

noise

masa

0,45

mass

Klapna (K)/
Flap (K)




Prirubnica (P)/
Flange (P)



MTG A100SXS
SREBRNI / SILVER



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

MTG A100SXS
Ø100

SREBRNI / SILVER

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401044	MTG A100SXS	standard / standard		 8 605009 127974
401047	MTG A100SXS-K	klapna / flap		 8 605009 127981
401051	MTG A100SXS-KP	klapna+prirubnica / flap+flange		 8 605009 127998



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.
rpm

speed

protok
vazduha

98

m³/h
air flow

nivo buke

31

dB(A)
noise

masa

0,45

kg
mass

Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A100SXS

SVETLO DRVO / LIGHT WOOD




MTG A100SXS

Ø100



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401048	MTG A100SXS-K	klapna / flap		 8 605009 132657
402008	MTG A100SXS-T	tajmer+klapna / timer+flap		 8 605009 132671
402006	MTG A100SXS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 132695



napon
230V
voltage

snaga
15W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
98
m³/h
air flow

nivo buke
31
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A100SXS

TAMNO DRVO / DARK WOOD




MTG A100SXS

Ø100



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

TAMNO DRVO / *DARK WOOD*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
401049	MTG A100SXS-K	klapna / <i>flap</i>		 8 605009 132640
402009	MTG A100SXS-T	tajmer+klapna / <i>timer+flap</i>		 8 605009 132664
402007	MTG A100SXS-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605009 132688



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.
rpm

speed

protok
vazduha

98

m³/h

air flow

nivo buke

31

dB(A)

noise

masa

0,45

kg

mass

Tajmer (T)

3-15 min/
Timer (T)

3-15 min



Higro (H1)/
Hygro (H)



Klapna (K)/
Flap (K)




MTG A120SXS
BEŽ / BEIGE



MTG A120SXS
Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401107	MTG A120SXS	standard / standard		 8 605 009 1127486
401110	MTG A120SXS-K	klapna / flap		 8 605 009 1127493
401116	MTG A120SXS-KP	klapna+prirubnica / flap+flange		 8 605 009 1127509



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450

speed

protok
vazduha

190

air flow

nivo buke

39

noise

masa

0,60

mass

Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)




MTG A120SXS
SREBRNI / SILVER



MTG A120SXS
Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SREBRNI / SILVER

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401108	MTG A120SXS	standard / standard	6	8 605009 128049
401112	MTG A120SXS-K	klapna / flap	6	8 605009 128056
401117	MTG A120SXS-KP	klapna+prirubnica / flap+flange	6	8 605009 128063



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450

ob/min.
rpm

speed

protok
vazduha

190

m³/h

air flow

nivo buke

39

dB(A)

noise

masa

0,60

kg

mass

Klapna (K)/
Flap (K)




Prirubnica (P)/
Flange (P)



MTG A120SXS

SVETLO DRVO / LIGHT WOOD




MTG A120SXS

Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401113	MTG A120SXS-K	klapna / flap		 8 605009 132718
402031	MTG A120SXS-T	tajmer+klapna / timer+flap		 8 605009 132732
402029	MTG A120SXS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 132756



napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	20W	IP-X4	2450 ob/min. rpm	190 m³/h	39 dB(A)	0,60 kg
voltage	power	protection	speed	air flow	noise	mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H1)/
Hygro (H)



Klapna (K)/
Flap (K)



MTG A120SXS

TAMNO DRVO / DARK WOOD




MTG A120SXS

Ø120



Veoma tihi
Very silent



Lako skidanje panele
Easy removable cover

TAMNO DRVO / DARK WOOD

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401114	MTG A120SXS-K	klapna / flap		 8 605009 132701
402032	MTG A120SXS-T	tajmer+klapna / timer+flap		 8 605009 132725
402030	MTG A120SXS-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 132749



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450

ob/min.
rpm

speed

protok
vazduha

190

m³/h
air flow

nivo buke

39

dB(A)
noise

masa

0,60

kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H1)/
Hygro (H)



Klapna (K1)/
Flap (K)



KUPATILSKI VENTILATORI SA MICROWAVE SENZOROM/ BATHROOM FANS WITH MICROWAVE SENSOR **MTG A100XS-S / A120XS-S A100XS-S / A120XS-S / A150XS-S**

Ventilatori sa microwave senzorom su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Microwave senzor je sakriven u telo ventilatora i ne narušava njegov izgled. Ventilator radi sve dok ste u kupatilu, i radiće onoliko vremena na koliko ste ga podesili. Termička zaštita sprečava pregrevanje motora.

The bathroom fans with microwave sensor are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The microwave sensor is hidden in the fan body and does not disturb its appearance. The fan runs as long as you are in the bathroom, and will run for as long as you set it. Thermal protection prevents the motor from overheating.



MTG A100SXS-S

MICROWAVE SENZOR / MICROWAVE SENSOR



BEŽ / BEIGE

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402053	MTG A100SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		81605009129565



SREBRNI / SILVER

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402054	MTG A100SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		81605009129572



SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402055	MTG A100SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		81605009129589



TAMNO DRVO / DARK WOOD

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402056	MTG A100SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		81605009129596



napon
230V
voltage

snaga
15W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
98
m³/h
air flow

nivo buke
31
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



Opseg detekcije/
Detection range
0 - 8m
max.





Ugao detekcije/
Detection angle
360°




MTG A100SXS-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100SXS-S-K	100	75	13	140


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Na prozor
(pomoću prirubnice)
*On window
(with flange)*

MTG A120SXS-S

MICROWAVE SENZOR / MICROWAVE SENSOR



BEŽ / *BEIGE*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402057	MTG A120SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		



SREBRNI / *SILVER*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402058	MTG A120SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		



TAMNO DRVO / *DARK WOOD*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402059	MTG A120SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		



SVETLO DRVO / *LIGHT WOOD*



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402060	MTG A120SXS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		




napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa	Tajmer (T) 3-15 min/ Timer (T) 3-15 min	Higro (H)/ Hygro (H)	Klapna (K)/ Flap (K)	Opseg detekcije/ Detection range	Ugao detekcije/ Detection angle
230V	20W	IP-X4	2450 ob/min. rpm	190 m³/h	39 dB(A)	0,60 kg					
voltage	power	protection	speed	air flow	noise	mass				0 - 8m max.	360°

MTG A120SXS-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A120SXS-S-K	120	100	18	170


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Na prozor
(pomoću prirubnice)
*On window
(with flange)*

MTG A100XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR



BEŽ / *BEIGE*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402061	MTG A100XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 1605009 1129640



SREBRNI / *SILVER*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402062	MTG A100XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 1605009 1129657



TAMNO DRVO / *DARK WOOD*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402063	MTG A100XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 1605009 1129664



SVETLO DRVO / *LIGHT WOOD*

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402064	MTG A100XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 1605009 1129671



napon
230V
voltage

snaga
15W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
98
m³/h
air flow

nivo buke
31
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



Opseg detekcije/
Detection range
0 - 8m
max.





Ugao detekcije/
Detection angle
360°




MTG A100XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100XS-S-K	100	75	13	140


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*

MTG A120XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR



BEŽ / BEIGE

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402065	MTG A120XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 112 96 88



SREBRNI / SILVER

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402066	MTG A120XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 112 96 95



TAMNO DRVO / DARK WOOD

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402067	MTG A120XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 112 97 01



SVETLO DRVO / LIGHT WOOD

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
402068	MTG A120XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 112 97 18



napon 230V voltage	snaga 20W power	zaštita IP-X4 protection	brzina 2450 ob/min. rpm speed	protok vazduha 190 m ³ /h air flow	nivo buke 39 dB(A) noise	masa 0,60 kg mass
---------------------------------	------------------------------	---------------------------------------	--	--	--	-----------------------------------

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Klapna (K)/
Flap (K)



Opseg detekcije/
Detection range



0 - 8m
max.



Ugao detekcije/
Detection angle




360°

MTG A120XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A120XS-S-K	120	100	18	170


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*

MTG A150XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402069	MTG A150XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 12 97 25



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402070	MTG A150XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 12 97 32



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402071	MTG A150XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 12 97 49





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
402072	MTG A150XS-S-K Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 12 97 56




napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa	Tajmer (T) 3-15 min/ Timer (T) 3-15 min	Higro (H)/ Hygro (H)	Klapna (K)/ Flap (K)	Opseg detekcije/ Detection range	Ugao detekcije/ Detection angle
230V voltage	25W power	IP-X4 protection	2600 ob/min. rpm speed	320 m³/h air flow	41 dB(A) noise	0,80 kg mass				 0 - 8m max.	 360°

MTG A150XS-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A150XS-S-K	150	100	18	170


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Na prozor
(pomoću priрубnice)
*On window
(with flange)*

KUPATILSKI VENTILATORI

BATHROOM FANS

MTG A100XM


Ventilatori serije XM su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Nisu namenjeni za upotrebu u radnim okruženjima i stambenim prostorijama gde temperatura vazduha prelazi 40°C. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Ventilatori XM poseduju masku kojom prilagođavate izgled ventilatora enterijeru vašeg kupatila. Masku možete zameniti bez alata. asku kojom prilagođavate izgled ventilatora enterijeru vašeg kupatila. Masku možete zameniti bez alata. Imaju duže telo sa žabicama za laku montažu. Motor sa termičkom zaštitom sprečava pregrevanje motora.

The bathroom fans series XM are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The bathroom fans series XM are fitted with a mask that adjusts the look of the fan to the interior of your bathroom. The XM series bathroom fans have a longer fan body with hooks for easy installation. Thermal protection prevents the motor from overheating.




MTG A100XM

230V / 50Hz
Klasa II




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening




Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*

Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100XM	100	98	30	160



MTG A100XM

BELI / WHITE



Žabice za laku montažu
Easy mounting system

MTG A100XM

Ø100



BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403060	MTG A100XM-K	klapna / <i>flap</i>	6	8 605009 135139
403061	MTG A100XM-PK	klapna+prirubnica / <i>flap+flange</i>	6	8 605009 135146
403062	MTG A100XM-PPK	klapna+potezni prekidač / <i>flap+pull switch</i>	6	8 605009 135153
403063	MTG A100XM-T	tajmer+klapna / <i>timer+flap</i>	6	8 605009 135160
403064	MTG A100XM-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>	6	8 605009 135177



napon

230V

voltage

snaga

8W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

85
m³/h

air flow



nivo buke

26,5
dB(A)

noise

masa

0,45
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PE)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A100XM

BEŽ / BEIGE



Žabice za laku montažu
Easy mounting system

MTG A100XM

Ø100



BEŽ / BEIGE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code	
403066	MTG A100XM-K	klapna / <i>flap</i>		8 605 009 1135191	
403067	MTG A100XM-PK	klapna+prirubnica / <i>flap+flange</i>		8 605 009 1135207	
403068	MTG A100XM-PPK	klapna+potezni prekidač / <i>flap+pull switch</i>		8 605 009 1135214	
403069	MTG A100XM-T	tajmer+klapna / <i>timer+flap</i>		8 605 009 1135221	
403070	MTG A100XM-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		8 605 009 1135238	

napon
230V
voltage

snaga
8W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
85
m³/h
air flow

nivo buke
26,5
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min

Higro (H)/
Hygro (H)

Potezni
prekidač (PP)/
Pull cord (PP)

Klapna (K)/
Flap (K)

Prirubnica (P)/
Flange (P)

MTG A100XM-S

MICROWAVE SENZOR / MICROWAVE SENSOR



Žabice za laku montažu
Easy mounting system

MTG A100XM-S

Ø100



BELI / *WHITE*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
403065	MTG A100XM-S-K	Microwave senzor + klapna + priрубnica <i>Microwave sensor + flap + flange</i>		 8 605009 135184



napon
230V
voltage

snaga
8W
power

zaštita
IP-X4
protection

brzina
2500
ob/min.
rpm
speed

protok
vazduha
85
m³/h
air flow

nivo buke
26,5
dB(A)
noise

masa
0,45
kg
mass

Tajmer (T)
10s - 12min/
Timer (T)
10s - 12min


Klapna (K)/
Flap (K)


Priрубnica (P)/
Flange (P)


Opseg detekcije/
Detection range



0 - 8m
max.

Ugao detekcije/
Detection angle


360°

MTG A100XM-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100XM-S-K	100	98	30	160


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*

MTG A100XM-S

MICROWAVE SENZOR / MICROWAVE SENSOR



Žabice za laku montažu
Easy mounting system

MTG A100XM-S

Ø100



BEŽ / **BEIGE**

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403071	MTG A100XM-S-K	Microwave senzor + klapna + prirubnica Microwave sensor + flap + flange		 8 605009 113524 5



napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	8W	IP-X4	2500 ob/min. rpm	85 m ³ /h	26,5 dB(A)	0,45 kg
voltage	power	protection	speed	air flow	noise	mass

Tajmer (T)
10s - 12min/
Timer (T)
10s - 12min



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



Opseg detekcije/
Detection range



0 - 8m
max.



Ugao detekcije/
Detection angle




360°

MTG A100XM-S

MICROWAVE SENZOR / MICROWAVE SENSOR




Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100XM-S-K	100	98	30	160


Mogućnost instalacije / *Installation:*



Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*

KUPATILSKI VENTILATORI BATHROOM FANS

MTG A100M / A100MX

Modularni ventilatori serije M I MX su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Na modularne ventilatore se ugrađuje maska kojom prilagođavate izgled ventilatora enterijeru vašeg kupatila. Termička zaštita sprečava pregrevanje motora.

Modular fans series M and MX are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. Modular fans are fitted with a mask that adjusts the look of the fan to the interior of your bathroom. Thermal protection prevents the motor from overheating.

Modularni ventilatori serije M imaju kraće telo bez žabica za laku montažu, pa se moraju ugraditi u otvor fiksiranjem tiplovima I vijcima.

Modular fans of the M series have a shorter fan body without hooks for easy installation, so they must be installed in the opening by fixing with dowels and screws.


Modularni ventilatori serije MX imaju duže telo sa žabicama za laku montažu.

The MX series modular fans have a longer fan body with hooks for easy installation.




MTG A100M / MTG A100MX

230V / 50Hz
Klasa II



Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)



Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	D
MTG A100M	100	75	140
MTG A100MX	100	98	140


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na prozor
(pomoću priрубnice)
za modele A100M
*On window
(with flange)*



Brzim zatezanjem žabica
u odgovarajući otvor za modele A100MX
*Fast installation by tightening
hooks into matching hole*



MTG A100M



Veoma tihi
Very silent

MTG A100M Ø100

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403003	MTG A100M-K	klapna / flap		 8 605009 132275
403004	MTG A100M-PK	klapna+prirubnica / flap+flange		 8 605009 132282
403005	MTG A100M-PPK	klapna+potezni prekidač / flap+pull switch		 8 605009 132299
403006	MTG A100M-T	tajmer+klapna / timer+flap		 8 605009 132305
403002	MTG A100M-H	higro-tajmer+klapna / hygro-timer+flap		 8 605009 132312



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow

31
dB(A)

noise

masa

0,45
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A100MX



Žabice za laku montažu
Easy mounting system

MTG A100MX Ø100



Veoma tihi
Very silent

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403008	MTG A100MX-K	klapna / <i>flap</i>		 8 605 009 132329
403009	MTG A100MX-PK	klapna+prirubnica / <i>flap+flange</i>		 8 605 009 132336
403010	MTG A100MX-PPK	klapna+potezni prekidač / <i>flap+pull switch</i>		 8 605 009 132343
403011	MTG A100MX-T	tajmer+klapna / <i>timer+flap</i>		 8 605 009 132350
403007	MTG A100MX-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 605 009 132367



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow



nivo buke

31
dB(A)

noise

masa

0,45
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



KUPATILSKI VENTILATORI SA MICROWAVE SENZOROM BATHROOM FANS WITH MICROWAVE SENSOR **MTG A100M-S / A100MX-S**

Ventilatori sa microwave senzorom su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Microwave senzor je sakriven u telo ventilatora i ne narušava njegov izgled. Ventilator radi sve dok ste u kupatilu, i radiće onoliko vremena na koliko ste ga podesili. Termička zaštita sprečava pregrevanje motora.

The bathroom fans with microwave sensor are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The microwave sensor is hidden in the fan body and does not disturb its appearance. The fan runs as long as you are in the bathroom, and will run for as long as you set it. Thermal protection prevents the motor from overheating.

Modularni ventilatori serije M imaju kraće telo bez žabica za laku montažu, pa se moraju ugraditi u otvor fiksiranjem tiplovima i vijcima.


Modular fans of the M series have a shorter fan body without hooks for easy installation, so they must be installed in the opening by fixing with dowels and screws.

Modularni ventilatori serije MX imaju duže telo sa žabicama za laku montažu.


The MX series modular fans have a longer fan body with hooks for easy installation.



KUPATILSKI VENTILATORI SA MICROWAVE SENZOROM BATHROOM FANS WITH MICROWAVE SENSOR



Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)



Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	D
MTG A100M	100	75	140
MTG A100MX	100	98	140


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na prozor
(pomoću priрубnice)
za modele A100M-S
*On window
(with flange)*



Brzim zatezanjem žabica u
odgovarajući otvor za modele A100MX-S
*Fast installation by tightening
hooks into matching hole*



MTG A100MS

MICROWAVE SENZOR / MICROWAVE SENSOR



MTG A100MS

Ø100



Veoma tihi
Very silent

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403034	MTG A100MS-K	Microwave senzor + klapna + prirubnica <i>Microwave sensor + flap + flange</i>		 8 605 009 129763



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.
rpm

speed

protok
vazduha

98

m³/h

air flow



nivo buke

31

dB(A)

noise

masa

0,45

kg

mass

Tajmer (T)
10s - 12min/
Timer (T)
10s - 12min



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



Opseg detekcije/
Detection range



0 - 8m
max.

Ugao detekcije/
Detection angle



360°

MTG A100MXS

MICROWAVE SENZOR / MICROWAVE SENSOR



Žabice za laku montažu
Easy mounting system

MTG A100MXS

Ø100



Veoma tihi
Very silent

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403035	MTG A100MXS-K	Microwave senzor + klapna + prirubnica Microwave sensor + flap + flange		 8 605 009 129 770



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow



nivo buke

31
dB(A)

noise

masa

0,45
kg

mass

Tajmer (T)
10s - 12min/
Timer (T)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



Opseg detekcije/
Detection range



0 - 8m
max.

Ugao detekcije/
Detection angle



360°

MASKE ZA KUPATILSKE VENTILATORE

MASKS FOR BATHROOM FANS

MTG A100M / A100MX

Imamo veliki izbor lako zamenjivih maski. Raznovrsni dizajn maski se prilagođava već postojećem kupatilskom enterijeru. Montaža i demontaža se vrši bez alata. Proizvodnja Mak trade nudi moderan dizajn zamenjivih maski. Njihova ugradnja je vrlo jednostavna i brza. Maske su izrađene od kvalitetne ABS plastike, stakla i aluminijuma.

We have a large selection of easily replaceable masks. The various design of the mask adapts to the already existing bathroom interior. Assembly and disassembly is done without tools. Mak trade production offers a modern design of replaceable masks. Their installation is very simple and fast. The masks are made of quality ABS plastic, glass and aluminum.



PAKOVANJE /
PACKING

STAKLENE MASKE / GLASS MASKS
MTG A100M / MTG A100MX

RAVNE PVC MASKE / FLAT PVC MASKS
MTG A100M / MTG A100MX

POLUOBLE PVC MASKE / HALF-ROUND PVC MASKS
MTG A100M / MTG A100MX

ALUMINIJUMSKE MASKE / ALUMINIUM MASKS
MTG A100M / MTG A100MX

MASKE ZA KERAMIKU / MASKS FOR CERAMIC TILES
MTG A100M / MTG A100MX



STAKLENE MASKE / GLASS MASKS MTG A100M / MTG A100MX



ANTRACIT / ANTRACITE

BELA / WHITE



CRNA / BLACK

IMITACIJA METALA
HAIRLINE METAL

SREBRNA / SILVER

SVETLO DRVO
LIGHT WOOD




TAMNO DRVO
DARK WOOD

ZLATNA / GOLD

KAMEN / STONE

KERAMIKA / CERAMIC

STAKLENE MASKE / GLASS MASKS MTG A100M / MTG A100MX



Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
403020	MASKA MTG A100M	ANTRACIT / <i>ANTRACITE</i>	10	8 605009 132473
403021	MASKA MTG A100M	BELA / <i>WHITE</i>	10	8 605009 132459
403022	MASKA MTG A100M	CRNA / <i>BLACK</i>	10	8 605009 132466
403023	MASKA MTG A100M	IMITACIJA METALA / <i>HAIRLINE METAL</i>	10	8 605009 132510
403024	MASKA MTG A100M	SREBRNA/ <i>SILVER</i>	10	8 605009 132763
403025	MASKA MTG A100M	SVETLO DRVO/ <i>LIGHT WOOD</i>	10	8 605009 132497
403026	MASKA MTG A100M	TAMNO DRVO/ <i>DARK WOOD</i>	10	8 605009 132503
403027	MASKA MTG A100M	ZLATNA/ <i>GOLD</i>	10	8 605009 132480
403032	MASKA MTG A100M	KAMEN/ <i>STONE</i>	10	8 605009 132800
403033	MASKA MTG A100M	KERAMIKA / <i>CERAMIC</i>	10	8 605009 132794



RAVNE PVC MASKE / FLAT PVC MASKS MTG A100M / MTG A100MX



IMITACIJA METALA /
HAIRLINE METAL

KAMEN/ STONE

KERAMIKA / CERAMIC

ANTRACIT / ANTRACITE



BELA / WHITE

CRNA / BLACK

SVETLO DRVO/ LIGHT WOOD

TAMNO DRVO / DARK WOOD




BEŽ/ BEIGE

SIVA/ GREY

ZLATNA/ GOLD

SREBRNA / SILVER



RAVNE PVC MASKE / FLAT PVC MASKS MTG A100M / MTG A100MX

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>	
403014	MASKA MTG A100M	IMITACIJA METALA / <i>HAIRLINE METAL</i>	10	8 605009 132404	
403015	MASKA MTG A100M	KAMEN/ <i>STONE</i>	10	8 605009 132442	
403016	MASKA MTG A100M	KERAMIKA / <i>CERAMIC</i>	10	8 605009 132435	
403017	MASKA MTG A100M	ANTRACIT / <i>ANTRACITE</i>	10	8 605009 132398	
403018	MASKA MTG A100M	BELA / <i>WHITE</i>	10	8 605009 132374	
403019	MASKA MTG A100M	CRNA / <i>BLACK</i>	10	8 605009 132381	
403028	MASKA MTG A100M	SVETLO DRVO/ <i>LIGHT WOOD</i>	10	8 605009 132411	
403029	MASKA MTG A100M	TAMNO DRVO/ <i>DARK WOOD</i>	10	8 605009 132428	
403072	MASKA MTG A100M	BEŽ/ <i>BEIGE</i>	10	8 605009 135269	
403073	MASKA MTG A100M	SIVA/ <i>GRAY</i>	10	8 605009 135276	
403075	MASKA MTG A100M	ZLATNA/ <i>GOLD</i>	10	8 605009 135290	
403076	MASKA MTG A100M	SREBRNA/ <i>SILVER</i>	10	8 605009 135306	

POLUOBLE PVC MASKE / HALF-ROUND PVC MASKS MTG A100M / MTG A100MX



BELA / WHITE

CRNA / BLACK

ANTRACIT / ANTRACITE



SIVA / GREY

BEŽI / BEIGE

CRVENA / RED

PLAVA / BLUE





ZLATNA / GOLD

SRERNA / SILVER

SVETLO DRVO / LIGHT WOOD

TAMNO DRVO / DARK WOOD


POLUOBLJE PVC MASKE / HALF-ROUND PVC MASKS MTG A100M / MTG A100MX



Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code	
403046	MASKA MTG A100M	BELA / <i>WHITE</i>	10	8 605009 134798	
403047	MASKA MTG A100M	CRNA / <i>BLACK</i>	10	8 605009 134828	
403048	MASKA MTG A100M	ANTRACIT / <i>ANTRACITE</i>	10	8 605009 134965	
403049	MASKA MTG A100M	SIVA / <i>GRAY</i>	10	8 605009 134972	
403050	MASKA MTG A100M	BEŽ / <i>BEIGE</i>	10	8 605009 135023	
403051	MASKA MTG A100M	CRVENA / <i>RED</i>	10	8 605009 134989	
403052	MASKA MTG A100M	PLAVA / <i>BLUE</i>	10	8 605009 134996	
403053	MASKA MTG A100M	ZLATNA / <i>GOLD</i>	10	8 605009 135009	
403054	MASKA MTG A100M	SREBRNA / <i>SILVER</i>	10	8 605009 135016	
403077	MASKA MTG A100M	SVETLO DRVO / <i>LIGHT WOOD</i>	10	8 605009 135320	
403078	MASKA MTG A100M	TAMNO DRVO / <i>DARK WOOD</i>	10	8 605009 135337	

MASKE ZA KERAMIKU / MASKS FOR CERAMIC TILES MTG A100M / MTG A100MX

BOJE RAMA/ *COLOURS OF FRAME*



BELA / WHITE

CRNA / BLACK



ANTRACIT / ANTRACITE

SIVA / GREY


BEŽ / BEIGE

MASKE ZA KERAMIKU / MASKS FOR CERAMIC TILES





MTG A100M / MTG A100MX




KERAMIČKA PLOČICA ILI DRVO
CERAMIC TILE OR WOOD



Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403055	MASKA MTG A100M	BELA / <i>WHITE</i>	10	8 605009 134781
403056	MASKA MTG A100M	CRNA / <i>BLACK</i>	10	8 605009 134941
403057	MASKA MTG A100M	ANTRACIT / <i>ANTRACITE</i>	10	8 605009 134811
403058	MASKA MTG A100M	SIVA / <i>GRAY</i>	10	8 605009 134958
403059	MASKA MTG A100M	BEŽ / <i>BEIGE</i>	10	8 605009 134804



KERAMIČKA PLOČICA ILI DRVO
CERAMIC TILE OR WOOD



ALUMINIJUMSKE MASKE / ALUMINIUM MASKS
MTG A100M / MTG A100MX



BRUŠENI ALUMINIJUM SREBRO
BRUSHED ALUMINIUM SILVER

BRUŠENI ALUMINIJUM ZLATO
BRUSHED ALUMINIUM GOLD



Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
403030	MASKA MTG A100M	SREBRNA/ SILVER	6	 8 605009 134781
403031	MASKA MTG A100M	ZLATNA / GOLD	6	 8 605009 134941





mtg M-silent

KUPATILSKI VENTILATORI BATHROOM FANS

MTG A100 / A120 / A150

Ventilatori serije standard su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Imaju duže telo sa žabicama za laku montažu. Termička zaštita sprečava pregrevanje motora.

The bathroom fans series standard are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The standard series bathroom fans have a longer fan body with hooks for easy installation. Thermal protection prevents the motor from overheating.



MTG A100 / MTG A120 / MTG A150




Motor sa termičkom zaštitom
Motor with thermal protection




Dimenzije (mm) / *Dimensions (mm)*


TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100	98	100	13	140
MTG A120	118	100	13	170
MTG A150	150	100	18	170




Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na plafon
Onto ceiling



Brzim zatezanjem žabica
u odgovarajući otvor
*Fast installation by tightening
hooks into matching hole*



MTG A100


BELI / WHITE



Žabice za laku montažu
Easy mounting system

MTG A100

Ø100



Lako skidanje panela
Easy removable cover

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401001	MTG A100	standard / <i>standard</i>	6	8 605009 110007 6
401006	MTG A100-K	klapna / <i>flap</i>	6	8 605009 110008 3
401011	MTG A100-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>	6	8 605009 110151 6
401009	MTG A100-PP	potezni prekidač / <i>pull switch</i>	6	8 605009 111604 6
402003	MTG A100-T	tajmer+klapna / <i>timer+flap</i>	6	8 605009 110009 0
402001	MTG A100-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>	6	8 605009 110010 6



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

speed

protok
vazduha

98

air flow

nivo buke

41

noise

masa

0,45

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PPK)
Pull cord (PPK)



Klapna (K)/
Flap (K)



MTG A100


ANTRACIT / ANTHRACITE



Žabice za laku montažu
Easy mounting system

MTG A100

Ø100



Lako skidanje panela
Easy removable cover

ANTRACIT / ANTHRACITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401002	MTG A100	standard / <i>standard</i>	6	8 605009 110153 0
401005	MTG A100-K	klapna / <i>flap</i>	6	8 605009 111274 1
401012	MTG A100-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>	6	8 605009 111276 5
401010	MTG A100-PP	potezni prekidač / <i>pull switch</i>	6	8 605009 111275 8
402004	MTG A100-T	tajmer+klapna / <i>timer+flap</i>	6	8 605009 111277 2
402002	MTG A100-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>	6	8 605009 111273 4



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.

speed

protok
vazduha

98

m³/h

air flow

nivo buke

41

dB(A)

noise

masa

0,45

kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



MTG A120


BELI / WHITE



Žabice za laku montažu
Easy mounting system

MTG A120

Ø120



Lako skidanje panela
Easy removable cover

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401060	MTG A120	standard / <i>standard</i>		
401068	MTG A120-K	klapna / <i>flap</i>		
401086	MTG A120-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>		
401083	MTG A120-PP	potezni prekidač / <i>pull switch</i>		
402024	MTG A120-T	tajmer+klapna / <i>timer+flap</i>		
402019	MTG A120-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450
ob/min.
rpm

speed

protok
vazduha

190
m³/h

air flow

nivo buke

43
dB(A)

noise

masa

0,60
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



MTG A120


ANTRACIT / ANTHRACITE



Žabice za laku montažu
Easy mounting system

MTG A120

Ø120



Lako skidanje panela
Easy removable cover

ANTRACIT / ANTHRACITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code	
401061	MTG A120	standard / <i>standard</i>			
401069	MTG A120-K	klapna / <i>flap</i>			
401087	MTG A120-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>			
401084	MTG A120-PP	potezni prekidač / <i>pull switch</i>			
402025	MTG A120-T	tajmer+klapna / <i>timer+flap</i>			
402020	MTG A120-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>			

napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450

ob/min.
rpm

speed

protok
vazduha

190

m³/h
air flow

nivo buke

43

dB(A)
noise

masa

0,60

kg
mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)




MTG A150

BELI / WHITE



MTG A150

Ø150



Lako skidanje panela
Easy removable cover

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401065	MTG A150	standard / <i>standard</i>	12	8 605 009 112 814 8
402026	MTG A150-T	tajmer+klapna / <i>timer+flap</i>	12	8 605 009 112 819 3
402021	MTG A150-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>	12	8 605 009 112 815 5
401085	MTG A150-PP	potezni prekidač / <i>pull switch</i>	12	8 605 009 112 817 9
401070	MTG A150-K	klapna / <i>flap</i>	12	8 605 009 112 816 2
401088	MTG A150-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>	12	8 605 009 112 818 6



napon

230V

voltage

snaga

25W

power

zaštita

IP-X4

protection

brzina

2600
ob/min.
rpm

speed

protok
vazduha

320
m³/h

air flow

nivo buke

45
dB(A)

noise

masa

0,80
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)




Klapna (K)/
Flap (K)



MTG A150

BELI / WHITE



KUPATILSKI VENTILATORI

BATHROOM FANS

MTG A100S / A120S


Ventilatori serije standard S su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Imaju kraće telo bez žabica za laku montažu, pa se moraju ugraditi u otvor fiksiranjem tiplovima i vijcima. Termička zaštita sprečava pregrevanje motora.

The bathroom fans series standard S are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The standard series S bathroom fans have a shorter fan body without hooks for easy installation, so they must be installed in the opening by fixing with dowels and screws. Thermal protection prevents the motor from overheating





Motor sa termičkom zaštitom
Motor with thermal protection




MTG A100S / MTG A120S




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100S	98	75	10	140
MTG A120S	118	100	13	170


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na plafon
Onto ceiling




Na prozor
(pomoću prirubnice)
*On window
(with flange)*



MTG A100S
BELI / WHITE



MTG A100S
Ø100



Lako skidanje panela
Easy removable cover

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401025	MTG A100S	standard / standard	6	8 1605009 1126045
401027	MTG A100S-K	klapna / flap	6	8 1605009 1126052
401033	MTG A100S-PP	potezni prekidač / pull switch	6	8 1605009 1126076
401035	MTG A100S-PPK	potezni prekidač+klapna / pull switch+flap	6	8 1605009 1126083
401031	MTG A100S-P	prirubnica / flange	6	8 1605009 1126069
401020	MTG A100S-KP	klapna+prirubnica / flap+flange	6	8 1605009 1126090



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500

ob/min.
rpm

speed

protok

vazduha

98

m³/h

air flow

nivo buke

41

dB(A)

noise

masa

0,45

kg

mass

Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)




MTG A100S

ANTRACIT / ANTHRACITE



MTG A100S

Ø100



Lako skidanje panela
Easy removable cover

ANTRACIT / *ANTHRACITE*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>	
401026	MTG A100S	standard / <i>standard</i>			
401028	MTG A100S-K	klapna / <i>flap</i>			
401034	MTG A100S-PP	potezni prekidač / <i>pull switch</i>			
401036	MTG A100S-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>			
401032	MTG A100S-P	prirubnica / <i>flange</i>			
401030	MTG A100S-KP	klapna+prirubnica / <i>flap+flange</i>			

napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow

nivo buke

41
dB(A)

noise

masa

0,45
kg

mass

Potezni
prekidač (PP)
Pull cord (PP)



Klapna (K)
Flap (K)



Prirubnica (P)
Flange (P)



MTG A120S

BELI / WHITE



Lako skidanje panela
Easy removable cover

MTG A120S

Ø120

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401089	MTG A120S	standard / <i>standard</i>		8 605009 126137
401091	MTG A120S-K	klapna / <i>flap</i>		8 605009 126144
401097	MTG A120S-PP	potezni prekidač / <i>pull switch</i>		8 605009 126168
401099	MTG A120S-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>		8 605009 126175
402027	MTG A120S-T	tajmer+klapna / <i>timer+flap</i>		8 605009 126182
402022	MTG A120S-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		8 605009 126199
401095	MTG A120S-P	prirubnica / <i>flange</i>		8 605009 126151
401093	MTG A120S-KP	klapna+prirubnica / <i>flap+flange</i>		8 605009 126205



napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450
ob/min.
rpm

speed

protok
vazduha

190
m³/h

air flow

nivo buke

43
dB(A)

noise

masa

0,60
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)/
Pull cord (PP)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A120S

ANTRACIT / ANTHRACITE



Lako skidanje panela
Easy removable cover

MTG A120S

Ø120

ANTRACIT / ANTHRACITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code	
401090	MTG A120S	standard / <i>standard</i>		 8 1605009 128568	
401092	MTG A120S-K	klapna / <i>flap</i>		 8 1605009 128575	
401098	MTG A120S-PP	potezni prekidač / <i>pull switch</i>		 8 1605009 128582	
401100	MTG A120S-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>		 8 1605009 128599	
402028	MTG A120S-T	tajmer+klapna / <i>timer+flap</i>		 8 1605009 128605	
402023	MTG A120S-H	higro-tajmer+klapna / <i>hygro-timer+flap</i>		 8 1605009 128612	
401096	MTG A120S-P	prirubnica / <i>flange</i>		 8 1605009 128629	
401094	MTG A120S-KP	klapna+prirubnica / <i>flap+flange</i>		 8 1605009 128636	

napon

230V

voltage

snaga

20W

power

zaštita

IP-X4

protection

brzina

2450
ob/min.
rpm

speed

protok
vazduha

190
m³/h

air flow

nivo buke

43
dB(A)

noise

masa

0,60
kg

mass

Tajmer (T)
3-15 min/
Timer (T)
3-15 min



Higro (H)/
Hygro (H)



Potezni
prekidač (PP)
Pull cord (PP)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



KUPATILSKI VENTILATORI BATHROOM FANS

MTG A100N / A120N / A150N

Ventilatori serije N su dizajnirani za ventilaciju stambenog ili poslovnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno sprečiti širenje vlage i neprijatnih mirisa. Mak trade ventilatori su vrlo lagani, poseduju moderan dizajn i odlikuju se izuzetno tihim radom. Njihova ugradnja je vrlo jednostavna i brza. Telo ventilatora, maska i lopatice elise su izrađeni od kvalitetne ABS plastike. Imaju kraće telo bez žabica za laku montažu, pa se moraju ugraditi u otvor fiksiranjem tiplovima i vijcima. Termička zaštita sprečava pregrevanje motora.


The bathroom fans series N are designed to ventilate housing or office space. They are used in premises and in places where spreading of humidity and odours needs to be prevented. The Mak trade fans are very light, with modern design and very silent operation. Its installation is very simple and quick. The fans body, mask and blades are made of quality ABS plastic. The series N bathroom fans have a shorter fan body without hooks for easy installation, so they must be installed in the opening by fixing with dowels and screws. Thermal protection prevents the motor from overheating.





MTG A100N / MTG A120N / MTG A150N


Motor sa termičkom zaštitom
Motor with thermal protection




Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C	D
MTG A100N	98	45	37	153
MTG A120N	120	50	37	180
MTG A150N	150	50	37	180


Mogućnost instalacije / *Installation:*




Na zid
Into a wall opening



Na plafon
Onto ceiling



Na prozor
(pomoću priрубnice)
*On window
(with flange)*



MTG A100N
BELI / WHITE



MTG A100N
Ø100

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401015	MTG A100N	standard / <i>standard</i>	9	8 1605009 1124614
401017	MTG A100N-K	klapna / <i>flap</i>	9	8 1605009 1124638
401021	MTG A100N-P	prirubnica / <i>flange</i>	9	8 1605009 1124676
401019	MTG A100N-KP	klapna+prirubnica / <i>flap+flange</i>	9	8 1605009 1124652
401023	MTG A100N-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>	9	8 1605009 1124690



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow

nivo buke

41
dB(A)

noise

masa

0,45
kg

mass

Potezni
prekidač (PPK)
Pull cord (PPK)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A100N

ANTRACIT / ANTHRACITE



MTG A100N

Ø100

ANTRACIT / *ANTHRACITE*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
401016	MTG A100N	standard / <i>standard</i>		 8 605 009 112 46 21
401018	MTG A100N-K	klapna / <i>flap</i>		 8 605 009 112 46 45
401022	MTG A100N-KP	klapna+prirubnica / <i>flap+flange</i>		 8 605 009 112 46 83
401020	MTG A100N-P	prirubnica / <i>flange</i>		 8 605 009 112 46 69
401024	MTG A100N-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>		 8 605 009 112 47 06



napon

230V

voltage

snaga

15W

power

zaštita

IP-X4

protection

brzina

2500
ob/min.
rpm

speed

protok
vazduha

98
m³/h

air flow

nivo buke

41
dB(A)

noise

masa

0,45
kg

mass

Potezni
prekidač (PPK)
Pull cord (PPK)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A120N

BELI / WHITE



MTG A120N

Ø120

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401072	MTG A120N	standard / <i>standard</i>	12	8 605 009 124 713
401074	MTG A120N-K	klapna / <i>flap</i>	12	8 605 009 124 737
401078	MTG A120N-P	prirubnica / <i>flange</i>	12	8 605 009 124 775
401076	MTG A120N-KP	klapna+prirubnica / <i>flap+flange</i>	12	8 605 009 124 751
401080	MTG A120N-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>	12	8 605 009 124 799



napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	20W	IP-X4	2450 ob/min. rpm	190 m³/h	43 dB(A)	0,60 kg
voltage	power	protection	speed	air flow	noise	mass

Potezni
prekidač (PPK)
Pull cord (PPK)



Klapna (K)/
Flap (K)



Prirubnica (P)/
Flange (P)



MTG A120N

ANTRACIT / ANTHRACITE



MTG A120N

Ø120

ANTRACIT / *ANTHRACITE*

Šifra <i>Code</i>	Model / <i>Model</i>	Opis modela <i>Model description</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>	
401073	MTG A120N	standard / <i>standard</i>		 8 605 009 124720	
401075	MTG A120N-K	klapna / <i>flap</i>		 8 605 009 124744	
401079	MTG A120N-P	prirubnica / <i>flange</i>		 8 605 009 124782	
401077	MTG A120N-KP	klapna+prirubnica / <i>flap+flange</i>		 8 605 009 124768	
401081	MTG A120N-PPK	potezni prekidač+klapna / <i>pull switch+flap</i>		 8 605 009 124805	

napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	20W	IP-X4	2450 ob/min. <i>rpm</i>	190 m³/h	43 dB(A)	0,60 kg
voltage	power	protection	speed	air flow	noise	mass

Potezni prekidač (PPK) <i>Pull cord (PPK)</i>	Klapna (K)/ Flap (K)	Prirubnica (P)/ Flange (P)
		

MTG A150N
BELI / WHITE



MTG A150N
Ø150

BELI / WHITE

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401062	MTG A150N	standard / standard	12	8 605009 128209
401063	MTG A150N-K	klapna / flap	12	8 605009 128216
401064	MTG A150N-PPK	potezni prekidač+klapna / pull switch+flap	12	8 605009 128223



napon

230V

voltage

snaga

25W

power

zaštita

IP-X4

protection

brzina

2600

ob/min.
rpm

protok
vazduha

320

m³/h
air flow

nivo buke

45

dB(A)
noise

masa

0,80

kg
mass

Potezni
prekidač (PPK)
Pull cord (PPK)




Klapna (K)
Flap (K)





MTG A150N
BELI / WHITE



MTG A100C / A120C

BELI / WHITE



MTG A100C/A120C

Ø100/Ø120

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401013	MTG A100C	standard / <i>standard</i>	12	8 605009 1101493



napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	15W	IP-X4	2500 ob/min. rpm	98 m³/h	41 dB(A)	0,41 kg
voltage	power	protection	speed	air flow	noise	mass


Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401066	MTG A120C	standard / <i>standard</i>	12	8 605009 1101509




napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V	20W	IP-X4	2450 ob/min. rpm	190 m³/h	43 dB(A)	0,60 kg
voltage	power	protection	speed	air flow	noise	mass

MTG A100C / A120C

BELI / WHITE




Motor sa termičkom zaštitom
Motor with thermal protection



Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C
MTG A100C	60	97	92
MTG A120C	60	118	96

Mogućnost instalacije / *Installation:*



MTG A100CS / A120CS

BELI / WHITE



MTG A100CS/A120CS

Ø100/ Ø120



Veoma tihi
Very silent

Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401014	MTG A100CS	standard / <i>standard</i>		 8 605009 111379



napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V voltage	15W power	IP-X4 protection	2500 ob/min. rpm speed	98 m³/h air flow	31 dB(A) noise	0,41 kg mass




Šifra Code	Model / Model	Opis modela Model description	Pak. Pack.	Bar kod EAN code
401067	MTG A120CS	standard / <i>standard</i>		 8 605009 111386





napon	snaga	zaštita	brzina	protok vazduha	nivo buke	masa
230V voltage	20W power	IP-X4 protection	2450 ob/min. rpm speed	190 m³/h air flow	39 dB(A) noise	0,60 kg mass

MTG A100CS / A120CS


BELI / WHITE



Mogućnost instalacije / *Installation:*



Motor sa termičkom zaštitom (sa ležajem)
Motor with thermal protection (with bearing)



Dimenzije (mm) / *Dimensions (mm)*

TIP / <i>TYPE</i>	ØA	B	C
MTG A100CS	60	97	92
MTG A120CS	60	118	96



VENTILATORI - PRATEĆA OPREMA
VENTILATOR ACCESSORIES



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429018	Klapna ventilatora / Ventilator flap	Ø100	 20	 8 605009 110155 4



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429019	Klapna ventilatora / Ventilator flap	Ø120	 20	 8 605009 110156 1



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429030	Redukcioni konektor ventilatora Reducing connector of the fan	Ø100 / Ø120	 20	 8 605009 111105 8



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429031	Redukcioni konektor ventilatora Reducing connector of the fan	Ø120 / Ø150	 20	 8 605009 111106 5



VENTILATORZIDNI/ WALL VENTILATOR



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429023	Prirubnica ventilatora / <i>Ventilator flange</i>	Ø100	100	8 605009 111027



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429024	Prirubnica ventilatora / <i>Ventilator flange</i>	Ø120	100	8 605009 111034



Šifra Code	Artikal / Article	Dimenzije / Dimensions	Pak. Pack	Bar kod EAN code
429032	Filter aspiratora univerzalni <i>Universal ventilation filter - poliester</i>	560x420mm	60	8 605009 110191



VENTILACIONE REŠETKE ABS

VENTILATION GRILLES ABS

Ventilacione rešetke se koriste za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađene su od ABS plastike, a na zahtev kupaca mogu biti izrađene i u drugoj boji. Dostupne su u raznim dimenzijama, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Ventilation grilles are used to exhaust and supply air in various ventilation systems. It is made of ABS, and can be made in other colours according customers requests. They are available in various dimensions and can be made in other dimensions, according customers requests.

Pogodne su za spoljašnje instalacije u kupatilu i kuhinji
They are suitable for outdoor installations in the bathroom and kitchen

Koriste se za odvođenje i dovođenje vazduha u raznim ventilacionim sistemima
They are used to exhaust and supply air in various ventilation systems

Napravljeni su od kvalitetne i izdržljive ABS plastike
They are made of quality and durable ABS plastic

Poseduju fiksne lamele
They have fixed blades

Zaštitna mreža protiv insekata
Insect protection grid

Moguća ugradnja na elektroormanima
Possible installation on electrical cabinets

Žabica omogućuje ugradnju rešetke na otvore od 80 mm do 150 mm
The hooks allows the installation of the grille on openings from 80 mm to 150 mm

Na zahtev kupca može biti izrađena i u drugoj boji
We can made in other colours according customers requests



VENTILACIONE PROTIVKIŠNE REŠETKE OKRUGLE


VENTILATION LOUVRE GRILLES ROUND



BELA / *WHITE*

BRAON / *BROWN*

Šifra <i>Code</i>	Boja / <i>Color</i>		Dimenzija (mm) / <i>Dimension (mm)</i>			Bar kod <i>EAN code</i>
			A Ø	B Ø	C	
426044	Bela / <i>White</i>		180	100	29	8 605009 134682
426045	Braon / <i>Brown</i>		180	100	29	8 605009 134699
426046	Bela / <i>White</i>		180	120	29	8 605009 134705
426047	Braon / <i>Brown</i>		180	120	29	8 605009 134712
426048	Bela / <i>White</i>		180	150	29	8 605009 134729
426049	Braon / <i>Brown</i>		180	150	29	8 605009 134736





VENTILACIONE PROTIVKIŠNE REŠETKE ČETVRTASTE


VENTILATION LOUVRE GRILLES SQUARE



BELA / *WHITE*

BRAON / *BROWN*

Šifra <i>Code</i>	Boja / <i>Color</i>		Dimenzija (mm) / <i>Dimension (mm)</i>				X Ø	Bar kod <i>EAN code</i>
			A	B	C	D		
426050	Bela / <i>White</i>		170	170	20	20	100	
426051	Braon / <i>Brown</i>		170	170	20	20	100	
426052	Bela / <i>White</i>		170	170	20	20	120	
426053	Braon / <i>Brown</i>		170	170	20	20	120	
426054	Bela / <i>White</i>		170	170	20	20	150	
426055	Braon / <i>Brown</i>		170	170	20	20	150	





VENTILACIONE REŠETKE PROTIVKIŠNE UNIVERZALNA Ø100 - Ø150 SA ŽABICOM **VENTILATION LOUVRE GRILLES UNIVERSAL Ø100 - Ø150 SA ŽABICOM**



BELA / *WHITE*

BRAON / *BROWN*

Šifra <i>Code</i>	Boja / <i>Color</i>	Dimenzija (mm) / <i>Dimension (mm)</i>					Bar kod <i>EAN code</i>
		A	B	C	D	X Ø	
426056	Bela / <i>White</i>	170	170	70	20	100-150	8 605009 1135108
426057	Braon / <i>Brown</i>	170	170	70	20	100-150	8 605009 1135115




VENTILACIONE REŠETKE ČETVRTASTE ZA ELEKTROORMANE


VENTILATION GRILLES SQUARE FOR ELECTRICAL CABINETS



BELA / *WHITE*

Šifra <i>Code</i>	Boja / <i>Color</i>	Dimenzija (mm) / <i>Dimension (mm)</i>			Bar kod <i>EAN code</i>
		A	B	C	
426058	Bela / <i>White</i>	170	170	20	





Ugradnja na elektroormanima
Possible installation on electrical cabinets

Na zahtev kupca može biti izrađena i u drugoj boji
We can made in other colours according customers requests

VIŠENAMENSKI VENTILATOR SA MREŽICAMA

MULTIFUNCTIONAL VENTILATOR WITH GRID

Višenamenski metalni zidni ventilatori su dizajnirani za ventilaciju stambenog, poslovnog i radnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno da se spreči širenje vlage i neprijatnih mirisa. Nalaze primenu u potisnim i usisnim sistemima, gde se, po zahtevu projekta, zahteva efikasno provetravanje. Nisu namenjeni za upotrebu u radnim okruženjima i stambenim prostorijama gde temperatura vazduha prelazi 50°C. Uređaj je usklađen sa svim standardima u vezi sa elektromagnetnim poljima (EMF). potrebno je znati da ventilator nema ugrađen zaštitni filter koji sprečava pristup masnoće na Tehničko rešenje proizvoda omogućava dug vek trajanja i pouzdan rad. Prilikom upotrebe elektro motor. Elisa je zaštićena metalnom mrežicom.

Multi-purpose metal wall ventilators are designed to ventilate housing, working or office spaces. They are used in premises and in places where spreading of humidity and odours needs to be prevented. They are used in blowing and sucking systems where efficient airing is required by projects. They are not intended for use in work environments and housing facilities where air temperature exceeds 50°C. The appliance complies with all electromagnetic field (EMF) standards. The technical design of the product facilitates long life and reliable work. It should be known before use that the ventilator does not have a built-in filter that prevents grease getting in contact with electric motor. The propeller is protected with a metal mesh.

TEHNIČKE KARAKTERISTIKE:


Ventilator se priključuje na električnu mrežu radnog napona 230V i frekvencije od 50Hz. Prema vrsti zaštite od strujnog udara, ventilator pripada uređajima klase II (230V / 50Hz). Ventilator je namenjen za eksploataciju na temperaturi vazduha u prostoriji u opsegu od -30°C do +50°C. Nivo buke na rastojanju od 3m kreće se u rasponu od 51 do 58dB(A) (u zavisnosti od modela, odnosno prečnika ventilatora). Step en zaštite elektro motora je Ip42.

TECHNICAL CHARACTERISTICS:

Ventilator is connected to electric power network with the operating voltage of 230V and frequency of 50Hz. Per type of protection of electric shock, the ventilator belongs in class II (230V / 50Hz). The ventilator is intended for exploitation on the temperature of ambience air in the range from -30°C to +50°C. Noise level on the distance of 3m is within the range of 51 to 58dB(A) (depending on the model that is the diameter of the ventilator). The degree of protection of electric motor is IP42.

VIŠENAMENSKI VENTILATOR SA MREŽICAMA MULTIFUNCTIONAL VENTILATOR WITH GRID

Smer vazduha
Air direction



S - Ubacivanje vazduha / *Air sucking*

B - Izbacivanje vazduha / *Air blowing*

Vazduh prolazi od motora kroz elisu i izlazi iz zaštitne mreže.



Smer vazduha je ubacivanje. S - sucking

Air passes from the motor through the propeller and exits the safety grid. The direction of the air is the insertion. S - sucking

Vazduh prolazi od zaštitne mreže kroz elisu i izlazi preko motora.

Smer vazduha je izbacivanje. B - blowing

Air passes from the safety grid through the propeller and exits through the motor. The direction of the air is the ejection. B - blowing



Dimenzije (mm) / *Dimensions (mm)*


ØA	ØB	C	D	E	F
200	257	257	6	70	53
250	313	313	8	70	60
300	350	350	10	86	80
300	350	350	10	86	80

VIŠENAMENSKI VENTILATOR SA MREŽICAMA MULTIFUNCTIONAL VENTILATOR WITH GRID

S - Modeli / Models (ubacivanje vazduha / air sucking)



Smer vazduha
Air direction



S - Ubacivanje vazduha / Air sucking



Šifra Code	Model / Model	Bar kod EAN code	
413002	MF200G-10	 8 605009 1100014	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	36W	1300 ob/min. rpm	410 m³/h	51 dB(A)	1,88 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413004	MF250G-16	 8 605009 1100021	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	60W	1300 ob/min. rpm	800 m³/h	53 dB(A)	2,48 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413006	MF300G-25	 8 605009 1100038	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	90W	1300 ob/min. rpm	1220 m³/h	58 dB(A)	3,54 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413008	MF300G-34	 8 605009 1100045	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	110W	1300 ob/min. rpm	1400 m³/h	58 dB(A)	3,68 kg
voltage	power	speed	air flow	noise level	mass

VIŠENAMENSKI VENTILATOR SA MREŽICAMA

MULTIFUNCTIONAL VENTILATOR WITH GRID

B - Modeli / Models (izbacivanje vazduha / air blowing)

Šifra Code	Model / Model	Bar kod EAN code	
413001	MF200G-10	8 605009 1113731	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	36W	1300 ob/min. rpm	410 m³/h	51 dB(A)	1,88 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413003	MF250G-16	8 605009 1113748	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	60W	1300 ob/min. rpm	800 m³/h	53 dB(A)	2,48 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413005	MF300G-25	8 605009 1113755	


napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	90W	1300 ob/min. rpm	1220 m³/h	58 dB(A)	3,54 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
413007	MF300G-34	8 605009 1113762	


napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	110W	1300 ob/min. rpm	1400 m³/h	58 dB(A)	3,68 kg
voltage	power	speed	air flow	noise level	mass



Smer vazduha
Air direction




B - Izbacivanje vazduha / Air blowing



VENTILATOR ZIDNI

WALL VENTILATOR



Višenamenski metalni zidni ventilatori su dizajnirani za ventilaciju stambenog, poslovnog i radnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno da se spreči širenje vlage i neprijatnih mirisa. Nalaze primenu u potisnim i usisnim sistemima, gde se, po zahtevu projekta, zahteva efikasno provetravanje. Nisu namenjeni za upotrebu u radnim okruženjima i stambenim prostorijama gde temperatura vazduha prelazi 50°C. Uređaj je usklađen sa svim standardima u vezi sa elektromagnetnim poljima (EMF). potrebno je znati da ventilator nema ugrađen zaštitni filter koji sprečava pristup masnoće na Tehničko rešenje proizvoda omogućava dug vek trajanja i pouzdan rad. Prilikom upotrebe elektro motor. Elisa je zaštićena metalnom mrežicom.

Multi-purpose metal wall ventilators are designed to ventilate housing, working or office spaces. They are used in premises and in places where spreading of humidity and odours needs to be prevented. They are used in blowing and sucking systems where efficient airing is required by projects. They are not intended for use in work environments and housing facilities where air temperature exceeds 50°C. The appliance complies with all electromagnetic field (EMF) standards. The technical design of the product facilitates long life and reliable work. It should be known before use that the ventilator does not have a built-in filter that prevents grease getting in contact with electric motor. The propeller is protected with a metal mesh.

TEHNIČKE KARAKTERISTIKE:

Ventilator se priključuje na električnu mrežu radnog napona 230V i frekvencije od 50Hz. Prema vrsti zaštite od strujnog udara, ventilator pripada uređajima klase II (230V / 50Hz). Ventilator je namenjen za eksploataciju na temperaturi vazduha u prostoriji u opsegu od -30°C do ~+50°C. Nivo buke na rastojanju od 3m kreće se u rasponu od 53 do 60dB(A) (u zavisnosti od modela, odnosno prečnika ventilatora). Step en zaštite elektro motora je Ip42.


TECHNICAL CHARACTERISTICS:

Ventilator is connected to electric power network with the operating voltage of 230V and frequency of 50Hz. Per type of protection of electric shock, the ventilator belongs in class II (230V / 50Hz). The ventilator is intended for exploitation on the temperature of ambience air in the range from -30°C to +50°C. Noise level on the distance of 3m is within the range of 53 to 60dB(A) (depending on the model that is the diameter of the ventilator). The degree of protection of electric motor is IP42.

VENTILATORZIDNI/ WALL VENTILATOR



Smer vazduha
Air direction




S - Ubacivanje vazduha / *Air sucking*

B - Izbacivanje vazduha / *Air blowing*

Vazduh prolazi od motora kroz elisu i izlazi iz zaštitne mreže.

Smer vazduha je ubacivanje. S - sucking

Air passes from the motor through the propeller and exits the safety grid. The direction of the air is the insertion. S - sucking



Vazduh prolazi od zaštitne mreže kroz elisu i izlazi preko motora.

Smer vazduha je izbacivanje. B - blowing

Air passes from the safety grid through the propeller and exits through the motor. The direction of the air is the ejection. B - blowing

Dimenzije (mm) / *Dimensions (mm)*

	ØA	ØB	C	D	E
Ø 200	220	264	11	18	127
Ø 250	270	314	11	18	147
Ø 300	320	364	11	18	155
Ø 300	320	364	11	18	155

VENTILATORZIDNI/ WALL VENTILATOR

S - Modeli / Models (ubacivanje vazduha / air sucking)

Šifra Code	Model / Model	Bar kod EAN code	
414002	MF200Z-10		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	36W	1300 ob/min. rpm	410 m³/h	53 dB(A)	2,35 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
414004	MF250Z-16		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	60W	1300 ob/min. rpm	800 m³/h	56 dB(A)	2,83 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
414006	MF300Z-25		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	90W	1300 ob/min. rpm	1220 m³/h	60 dB(A)	3,54 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
414008	MF300Z-34		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	110W	1300 ob/min. rpm	1400 m³/h	60 dB(A)	3,68 kg
voltage	power	speed	air flow	noise level	mass



S - Ubacivanje vazduha / Air sucking

VENTILATORZIDNI/ WALL VENTILATOR

B - Modeli / Models (izbacivanje vazduha / air blowing)

Šifra Code	Model / Model	Bar kod EAN code	
414001	MF200Z-10		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	36W	1300 ob/min. rpm	410 m³/h	53 dB(A)	2,35 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
414003	MF250Z-16		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	60W	1300 ob/min. rpm	800 m³/h	56 dB(A)	2,83 kg
voltage	power	speed	air flow	noise level	mass


Šifra Code	Model / Model	Bar kod EAN code	
414005	MF300Z-25		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	90W	1300 ob/min. rpm	1220 m³/h	60 dB(A)	3,54 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
414007	MF300Z-34		

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	110W	1300 ob/min. rpm	1400 m³/h	60 dB(A)	3,68 kg
voltage	power	speed	air flow	noise level	mass

Smer
vazduha
Air direction




B - Izbacivanje vazduha / Air blowing

VIŠENAMENSKI METALNI VENTILATOR

CEVNI

MULTIFUNCTIONAL METAL

PIPE VENTILATOR



NAMENA VENTILATORA

Višenamenski metalni cevni ventilatori su dizajnirani za ventilaciju stambenog, poslovnog i radnog prostora. Upotrebljavaju se u prostorijama i na mestima gde je potrebno da se spreči širenje vlage i neprijatnih mirisa. Nalaze primenu u potisnim i usisnim sistemima, gde se, po zahtevu projekta, zahteva efikasno provetravanje. Nisu namenjeni za upotrebu u radnim okruženjima i stambenim prostorijama gde temperatura vazduha prelazi 50°C. Uređaj je usklađen sa svim standardima u vezi sa elektromagnetnim poljima (EMF). Tehničko rešenje proizvoda omogućava dug vek trajanja i pouzdan rad. Prilikom upotrebe potrebno je znati da ventilator nema ugrađen zaštitni filter koji sprečava pristup masnoće na elektro motor. Elisa je zaštićena metalnom mrežicom.

PURPOSE OF THE VENTILATOR

Multi-purpose metal pipe ventilators are designed to ventilate housing, working or office spaces. They are used in premises and in places where spreading of humidity and odours needs to be prevented. They are used in blowing and sucking systems where efficient airing is required by projects. They are not intended for use in work environments and housing facilities where air temperature exceeds 50°C. The appliance complies with all standards. The technical design of the product facilitates long life and reliable work. It should be known before use that the ventilator does not have a built-in filter that prevents grease getting in contact with electric motor. The propeller is protected with a metal mesh.



TEHNIČKE KARAKTERISTIKE:

Ventilator se priključuje na električnu mrežu radnog napona 230V i frekvencije od 50Hz. Prema vrsti zaštite od strujnog udara, ventilator pripada uređajima klase II (230V / 50Hz). Ventilator je namenjen za eksploataciju na temperaturi vazduha u prostoriji u opsegu od -30°C do +50°C. Nivo buke na rastojanju od 3m kreće se u rasponu od 55 do 62dB(A) (u zavisnosti od modela, odnosno prečnika ventilatora). Step en zaštite elektro motora je Ip42

TECHNICAL CHARACTERISTICS:

Ventilator is connected to electric power network with the operating voltage of 230V and frequency of 50Hz. Per type of protection of electric shock, the ventilator belongs in class II (230V / 50Hz). The ventilator is intended for exploitation on the temperature of ambience air in the range from -30°C to +50°C. Noise level on the distance of 3m is within the range of 55 to 62dB(A) (depending on the model that is the diameter of the ventilator). The degree of protection of electric motor is IP42.

VIŠENAMENSKI METALNI VENTILATOR CEVNI
MULTIFUNCTIONAL METAL PIPE VENTILATOR



Dimenzije (mm) /
Dimensions (mm)

ØA	ØB	C
200	220	250
250	270	250
300	320	250
300	320	250

VIŠENAMENSKI METALNI VENTILATOR CEVNI
MULTIFUNCTIONAL METAL PIPE VENTILATOR

Šifra Code	Model / Model	Bar kod EAN code	
415001	MF200C-10	 8 605009 113854	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	36W	1300 ob/min. rpm	410 m³/h	55 dB(A)	2,40 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
415002	MF250C-16	 8 605009 113861	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	60W	1300 ob/min. rpm	800 m³/h	57 dB(A)	2,98 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
415003	MF300C-25	 8 605009 113878	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	90W	1300 ob/min. rpm	1220 m³/h	62 dB(A)	3,94 kg
voltage	power	speed	air flow	noise level	mass

Šifra Code	Model / Model	Bar kod EAN code	
415004	MF300Z-34	 8 605009 113885	

napon	snaga	brzina	protok vazduha	nivo buke	masa
230V	110W	1300 ob/min. rpm	1400 m³/h	62 dB(A)	4,22 kg
voltage	power	speed	air flow	noise level	mass

ALUMINIJUMSKE VENTILACIONE REŠETKE

ALUMINIUM VENTILATION GRILLES

Ventilacione rešetke se koriste za odvođenje ili dovodenje vazduha u raznim ventilacionim sistemima. Izrađene su od eloksiranog aluminijuma, a na zahtev kupaca mogu biti izrađene i u drugoj boji. Dostupne su u raznim dimenzijama, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Ventilation grilles are used to exhaust and supply air in various ventilation systems. It is made of anodized aluminium, and can be made in other colours according customers requests. They are available in various dimensions and can be made in other dimensions , according customers requests.

IMAMO U PONUDI SLEDEĆE MODELE / WE OFFER THE FOLLOWING MODELS:

VENTILACIONA REŠETKA - 1 red podesivih lamela / VENTILATION GRILLE - 1 row of adjustable horizontal blades

VENTILACIONA REŠETKA - 2 reda podesivih lamela / VENTILATION GRILLE - 2 rows of adjustable horizontal blades

VENTILACIONA REŠETKA - 1 red podesivih lamela i regulator protoka vazduha
VENTILATION GRILLE - 1 row of adjustable horizontal blades with parallel blade damper

VENTILACIONA REŠETKA - 2 reda podesivih lamela i regulator protoka vazduha
VENTILATION GRILLE - 2 rows of adjustable horizontal blades with parallel blade damper

VENTILACIONA SAMOPADAJUĆA REŠETKA / VENTILATION GRAVITY GRILLE

PROTIVKIŠNA REŠETKA / LOUVRE

PRESTRUJNA REŠETKA ZA VRATA SA "/\" LAMELAMA ZA CIRKULISANJE VAZDUHA IZMEĐU PROSTORIJA, SA KONTRA RAMOM
DOOR GRILLE EQUIPED WITH "/\" SHAPED BLADES FOR AIR TRANSFER BETWEEN ROOMS, WITH FRAME IN BOTH SIDES



VENTILACIONE REŠETKE / VENTILATION GRILLES



VENTILACIONA REŠETKA - 1 red podesivih lamela / VENTILATION GRILLE - 1 raw of adjustable horizontal blades

Rešetka sa jednim redom podesivih horizontalnih lamela bez regulatora protoka vazduha.

Ova rešetka se koristi za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Grille with one raw of adjustable horizontal blades, without damper. This grillis is used for ventilation in diferent ventilation systems. It is made of anodized aluminium and can be made in other colours according customers requests.

Available in all dimensions shown below and can be made in other dimensions according customers requests.



Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - **B**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

Visina /Height(mm) - **H**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500



VENTILACIONA REŠETKA - 2 reda podesivih lamela / VENTILATION GRILLE - 2 raws of adjustable horizontal blades

Rešetka sa dva reda podesivih horizontalnih / vertikalnih lamela bez regulatora protoka vazduha.

Ova rešetka se koristi za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Grille with two raws of adjustable horizontal / vertical blades, without damper. This grillis is used for ventilation in diferent ventilation systems. It is made of anodized aluminium and can be made in other colours according customers requests.

Available in all dimensions shown below and can be made in other dimensions according customers requests.



Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - **B**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

Visina /Height(mm) - **H**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

VENTILACIONE REŠETKE / VENTILATION GRILLES



VENTILACIONA REŠETKA - 1 red podesivih lamela i regulator protoka vazduha

VENTILATION GRILLE - 1 raw of adjustable horizontal blades with parallel blade damper

Rešetka sa jednim redom podesivih horizontalnih lamela sa regulatorom protoka vazduha.

Ova rešetka se koristi za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Ova rešetka na sebi ima ugrađen regulator protoka vazduha (DAMPER).

On služi da bi se promenili protok i količina vazduha. Regulacija se vrši ručnim podešavanjem krilaca.

Grille with one raw of adjustable horizontal blades, with parallel blade damper. This grillis is used for ventilation in different ventilation systems. It is made of anodized aluminium and can be made in other colours according customers requests.

Available in all dimensions shown below and can be made in other dimensions according customers requests.

This grill has build in air flow regulator (DAMPER).

It is used for changing flow and amount of air. Grills are manually adjustable.

B



H

Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - B: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

Visina /Height(mm) - H: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500



VENTILACIONA REŠETKA - 2 reda podesivih lamela i regulator protoka vazduha

VENTILATION GRILLE - 2 raws of adjustable horizontal blades with parallel blade damper

Rešetka sa dva reda podesivih horizontalnih / vertikalnih lamela sa regulatorom protoka vazduha.

Ova rešetka se koristi za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Ova rešetka na sebi ima ugrađen regulator protoka vazduha (DAMPER).

On služi da bi se promenili protok i količina vazduha. Regulacija se vrši ručnim podešavanjem krilaca.

Grille with two raws of adjustable horizontal / vertical blades, with parallel blade dumper. This grillis is used for ventilation in diferent ventilation systems. It is made of anodized aluminium and can be made in other colours according customers requests.

Available in all dimensions shown below and can be made in other dimensions according customers requests.

This grill has build in air flow regulator (DAMPER).

It is used for changing flow and amount of air. Grills are manually adjustable.

B



H

Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - B: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

Visina /Height(mm) - H: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

VENTILACIONE REŠETKE / VENTILATION GRILLES

VENTILACIONA SAMOPADAJUĆA REŠETKA / VENTILATION GRAVITY GRILLE

Samopadajuća rešetka koja se postavlja na zid, sa jednim redom pokretnih lamela za izbacivanje vazduha pod pritiskom. Lamele su paralelne prvoj pomenutoj dimenziji.


Ova rešetka se koristi za odvođenje ili dovođenje vazduha u raznim ventilacionim sistemima. Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Gravity grille for wall instalation with one row of free moving blades for air exhaust after pressure. The blades are parallel to the first mentioned dimension. This grillis is used for ventilation in diferent ventilation systems. It is made of anodized aluminium and can be made in other colours according customers requests. Available in all dimensions shown below and can be made in other dimensions according customers requests.

Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - **B**: 200, 250, 300, 350, 400, 450, 500

Visina /Height(mm) - **H**: 125, 200, 250, 300, 350, 400, 450, 500



PROTIVKIŠNA REŠETKA / LOUVRE

Protivkišna rešetka sa širokim fiksnim lamelama i zaštitnom mrežom protiv insekata.

Dimenzije otvora (kockica) na mreži su 6x6mm.

Izrađena je od eloksiranog aluminijuma, a na zahtev kupca može biti izrađena i u drugoj boji.

Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.

Louvre with wide curved fixed blades and wire mash with 6x6mm holes. Which is god against diferent kinds of insects.


It is made of anodized aluminium and can be made in other colours according customers requests.

Available in all dimensions shown below and can be made in other dimensions according customers requests.

Dimenzije predstavljaju mere štucne / Hole dimensions

Širina /Width (mm) - **B**: 200, 250, 300, 350, 400, 450, 500

Visina /Height(mm) - **H**: 125, 200, 250, 300, 350, 400, 450, 500



VENTILACIONE REŠETKE / VENTILATION GRILLES

PRESTRUJNA REŠETKA ZA VRATA SA "Λ" LAMELAMA ZA CIRKULISANJE VAZDUHA IZMEĐU PROSTORIJA, SA KONTRA RAMOM

DOOR GRILLE EQUIPED WITH "Λ" SHAPED BLADES FOR AIR TRANSFER BETWEEN ROOMS, WITHOUT VISUAL CONTACT, WITH FRAME IN BOTH SIDES

Rešetka "PR" omogućava strujanje vazduha kroz vrata u pregradne zidove u sistemu ventilacije i klimatizacije. Rešetka je pogodna za ugradnju u vrata i zidove, a u posebnim slučajevima (pomoću štucne) i u zidove većih debljina. Rešetka je izrađena od eloksiranog aluminijuma u prirodnoj boji, a na poseban zahtev može se izraditi u drugim bojama. Dostupna je u svim dimenzijama dole prikazanim, a postoji mogućnost izrade i u svim drugim dimenzijama prema zahtevu kupca.


Door Grille „PR“ enables air-flow through door in wall chambers in ventilation and air conditioning system. Door Grille is suitable for installing in doors and walls, and in special cases (using by frame) into the more thickness walls. It is made of anodized aluminium in natural colour and can be made in other colours according customers requests. Available in all dimensions shown below and can be made in other dimensions according customers requests.


Dimenzije predstavljaju mere štucne / *Hole dimensions*

Širina / *Width* (mm) - **B**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

Visina / *Height* (mm) - **H**: 100, 150, 200, 225, 250, 300, 350, 400, 425, 450, 500

B





ALUMINIJUMSKE VENTILACIONE REŠETKE

ALUMINIUM VENTILATION GRILLES

Ventilacione rešetke su izrađene od aluminijuma. Otporne na koroziju i vodu. Idealne su za zatvorene prostore kao što su restorani, hoteli, industrijski i stambeni objekti. Pomažu cirkulaciju vazduha i snižavaju vlažnost. Rešetke takođe smanjuju prisustvo bakterija. Može se koristiti jako dugo. Jednostavan za instalaciju i čišćenje.



The ventilation grilles are made of aluminum. Resistant to corrosion and water. They are ideal for closed spaces such as restaurants, hotels, industrial and residential buildings. They help air circulation and lower humidity. Grills also reduce the presence of bacteria. It can be used for a very long time. Easy to install and clean.

IMAMO U PONUDI SLEDEĆE MODELE / WE OFFER THE FOLLOWING MODELS:

40x300	60x300	80x400	100x400	120x500
40x400	60x400	80x500	100x500	
40x500	60x500			


Sve dimenzije imamo u četiri boje:

crna,
bela,
srebrna,
bronzana,
zlatna



VENTILACIONE REŠETKE / VENTILATION GRILLES

CRTEŽ / *DRAWING*



visina x širina mm / *height x width mm*

40x300	60x300	80x400	100x400	120x500
40x400	60x400	80x500	100x500	
40x500	60x500			

VENTILACIONE REŠETKE / VENTILATION GRILLES



40x300


srebrna

bronzna

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425082	VENTILACIONA REŠETKA PRESTRUJNA AL 40x300 MTG BELA	Bela / White	 8 605009 1136488
425083	VENTILACIONA REŠETKA PRESTRUJNA AL 40x300 MTG SREBRNA	Srebrna / Silver	 8 605009 1136495
425084	VENTILACIONA REŠETKA PRESTRUJNA AL 40x300 MTG ZLATNA	Zlatna / Golden	 8 605009 1136501
425085	VENTILACIONA REŠETKA PRESTRUJNA AL 40x300 MTG BRONZA	Bronza / Bronze	 8 605009 1136518
425127	VENTILACIONA REŠETKA PRESTRUJNA AL 40x300 MTG CRNA	Crna / Black	 8 605009 1136921



Al

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension

40x400


srebrna

bronzna

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425086	VENTILACIONA REŠETKA PRESTRUJNA AL 40x400 MTG BELA	Bela / White	 8 605 009 136 525
425087	VENTILACIONA REŠETKA PRESTRUJNA AL 40x400 MTG SREBRNA	Srebrna / Silver	 8 605 009 136 532
425088	VENTILACIONA REŠETKA PRESTRUJNA AL 40x400 MTG ZLATNA	Zlatna / Golden	 8 605 009 136 549
425089	VENTILACIONA REŠETKA PRESTRUJNA AL 40x400 MTG BRONZA	Bronza / Bronze	 8 605 009 136 556
425128	VENTILACIONA REŠETKA PRESTRUJNA AL 40x400 MTG CRNA	Crna / Black	 8 605 009 136 938



Al

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension

40x500


srebrna

bronzna

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425090	VENTILACIONA REŠETKA PRESTRUJNA AL 40x500 MTG BELA	Bela / White	 8 605009 136563
425091	VENTILACIONA REŠETKA PRESTRUJNA AL 40x500 MTG SREBRNA	Srebrna / Silver	 8 605009 136570
425092	VENTILACIONA REŠETKA PRESTRUJNA AL 40x500 MTG ZLATNA	Zlatna / Golden	 8 605009 136587
425093	VENTILACIONA REŠETKA PRESTRUJNA AL 40x500 MTG BRONZA	Bronza / Bronze	 8 605009 136594
425129	VENTILACIONA REŠETKA PRESTRUJNA AL 40x500 MTG CRNA	Crna / Black	 8 605009 136945



Al

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension

60x300


srebrna

bronz

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425094	VENTILACIONA REŠETKA PRESTRUJNA AL 60x300 MTG BELA	Bela / White	 8 605009 136600
425095	VENTILACIONA REŠETKA PRESTRUJNA AL 60x300 MTG SREBRNA	Srebrna / Silver	 8 605009 136617
425096	VENTILACIONA REŠETKA PRESTRUJNA AL 60x300 MTG ZLATNA	Zlatna / Golden	 8 605009 136624
425097	VENTILACIONA REŠETKA PRESTRUJNA AL 60x300 MTG BRONZA	Bronza / Bronze	 8 605009 136631
425130	VENTILACIONA REŠETKA PRESTRUJNA AL 60x300 MTG CRNA	Crna / Black	 8 605009 136952



AI

VENTILACIONE REŠETKE / VENTILATION GRILLES

dimenzija / dimension

60x400


srebrna

bronzna

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code	
425098	VENTILACIONA REŠETKA PRESTRUJNA AL 60x400 MTG BELA	Bela / White	 8 605009 136648	
425099	VENTILACIONA REŠETKA PRESTRUJNA AL 60x400 MTG SREBRNA	Srebrna / Silver	 8 605009 136655	
425100	VENTILACIONA REŠETKA PRESTRUJNA AL 60x400 MTG ZLATNA	Zlatna / Golden	 8 605009 136662	
425101	VENTILACIONA REŠETKA PRESTRUJNA AL 60x400 MTG BRONZA	Bronza / Bronze	 8 605009 136679	
425131	VENTILACIONA REŠETKA PRESTRUJNA AL 60x400 MTG CRNA	Crna / Black	 8 605009 136969	

Al

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension

80x400


srebrna

bronza

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code	
425106	VENTILACIONA REŠETKA PRESTRUJNA AL 80x400 MTG BELA	Bela / White	 8 605009 136723	
425107	VENTILACIONA REŠETKA PRESTRUJNA AL 80x400 MTG SREBRNA	Srebrna / Silver	 8 605009 136730	
425108	VENTILACIONA REŠETKA PRESTRUJNA AI 80x400 MTG ZLATNA	Zlatna / Golden	 8 605009 136747	
425109	VENTILACIONA REŠETKA PRESTRUJNA AL 80x400 MTG BRONZA	Bronza / Bronze	 8 605009 136754	
425133	VENTILACIONA REŠETKA PRESTRUJNA AL 80x400 MTG CRNA	Crna / Black	 8 605009 136754	

AI

VENTILACIONE REŠETKE / VENTILATION GRILLES

dimenzija / dimension

80x500


srebrna

bronz

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425110	VENTILACIONA REŠETKA PRESTRUJNA AL 80x500 MTG BELA	Bela / White	 8 605009 136761
425111	VENTILACIONA REŠETKA PRESTRUJNA AL 80x500 MTG SREBRNA	Srebrna / Silver	 8 605009 136778
425112	VENTILACIONA REŠETKA PRESTRUJNA AI 80x500 MTG ZLATNA	Zlatna / Golden	 8 605009 136785
425113	VENTILACIONA REŠETKA PRESTRUJNA AL 80x500 MTG BRONZA	Bronza / Bronze	 8 605009 136792
425134	VENTILACIONA REŠETKA PRESTRUJNA AL 80x500 MTG CRNA	Crna / Black	 8 605009 136990



AI

VENTILACIONE REŠETKE / VENTILATION GRILLES

dimenzija / dimension

100x400


srebrna

bronza

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code	
425114	VENTILACIONA REŠETKA PRESTRUJNA AL 100x400 MTG BELA	Bela / White	 8 605009 136808	
425115	VENTILACIONA REŠETKA PRESTRUJNA AL 100x400 MTG SREBRNA	Srebrna / Silver	 8 605009 136815	
425116	VENTILACIONA REŠETKA PRESTRUJNA AI 100x400 MTG ZLATNA	Zlatna / Golden	 8 605009 136822	
425117	VENTILACIONA REŠETKA PRESTRUJNA AL 100x400 MTG BRONZA	Bronza / Bronze	 8 605009 136839	
425135	VENTILACIONA REŠETKA PRESTRUJNA AL 100x400 MTG CRNA	Crna / Black	 8 605009 137003	

AI

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension

100x500


srebrna

bronza

crna

bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425118	VENTILACIONA REŠETKA PRESTRUJNA AL 100x500 MTG BELA	Bela / White	 8 605 009 136846
425119	VENTILACIONA REŠETKA PRESTRUJNA AL 100x500 MTG SREBRNA	Srebrna / Silver	 8 605 009 136853
425120	VENTILACIONA REŠETKA PRESTRUJNA AI 100x500 MTG ZLATNA	Zlatna / Golden	 8 605 009 136860
425121	VENTILACIONA REŠETKA PRESTRUJNA AL 100x500 MTG BRONZA	Bronza / Bronze	 8 605 009 136877
425136	VENTILACIONA REŠETKA PRESTRUJNA AL 100x500 MTG CRNA	Crna / Black	 8 605 009 137010



AI

VENTILACIONE REŠETKE / VENTILATION GRILLES



dimenzija / dimension


120x500

- srebrna

bronz

crna
- bela

zlatna



Šifra Code	Model / Model	Opis modela Model description	Bar kod EAN code
425122	VENTILACIONA REŠETKA PRESTRUJNA AL 120x500 MTG BELA	Bela / White	 8160500911368841
425123	VENTILACIONA REŠETKA PRESTRUJNA AL 120x500 MTG SREBRNA	Srebrna / Silver	 8160500911368911
425124	VENTILACIONA REŠETKA PRESTRUJNA AI 120x500 MTG ZLATNA	Zlatna / Golden	 8160500911369071
425125	VENTILACIONA REŠETKA PRESTRUJNA AL 120x500 MTG BRONZA	Bronza / Bronze	 8160500911369141
425137	VENTILACIONA REŠETKA PRESTRUJNA AL 120x500 MTG CRNA	Crna / Black	 8160500911370271



- AI

VIŠESTRUKKE PRENOSNE PRIKLJUČNICE

MULTIPLE PORTABLE SOCKETS

Namena višestrukih prenosnih priključnica je istovremeno priključivanje više električnih aparata odgovarajuće ukupne snage, kada su pomenuti udaljeni od priključnica ugrađenih u trajnu električnu instalaciju. Prenosne priključnice se upotrebljavaju u domaćinstvu, kancelarijama, izložbenim i sajamskim prostorijama, servisnim radionicama i garažama. Višestruka prenosna priključnica se sastoji od tri osnovna dela: tela prenosne priključnice, savitljivog kabla i nerastavnog utikača. Telo prenosne priključnice izradjeno je od kvalitetnog izolacionog materijala a konstruktivno objedinjuje više dvopolnih priključnica 10/16 A, 230-250 V sa ili bez kontakta za uzemljenje.

The purpose of multiple portable sockets is the simultaneous connection of several electrical appliances of appropriate total power, when the said devices are at a safe distance from the sockets installed in a permanent electrical installation. Portable sockets are suitable for use in households, offices, exhibition and fair premises, service workshops and garages. The multiple transmission connector consists of three basic parts: the body of the transmission connector, the flexible cable and the non-detachable plug. The body of the transmission socket is made of quality insulation material and structurally combines several double pole sockets 10/16 A, 230-250 V with or without earthing contact.



Pakovanje prenosne priključnice bez kabla

Packing portable socket without cord



Pakovanje prenosne priključnice sa kablom

Packing portable socket with cord

**PRENOSNA PRIKLJUČNICA NERASTAVNA
TROSTRUKA KB-RB-03L SA SAVITLJIVIM KABLOM**

**3-WAY PORTABLE SOCKET OUTLET
KB-RB-03L UNWIREABLE**

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176002	H05VV-F 3G1,5 / 1,4m 3 x  / 1 x  /  16A 250V ~ 3500W	 10	 8 605009 145411





Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176006	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3500W	 10	 8 605009 1122382



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176010	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3500W	 10	 8 605009 1122405



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176013	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3500W	 10	 8 605009 1122429



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 4-WAY PORTABLE SOCKET OUTLET ČETVROSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM / KB-RB-04L UNWIREABLE



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176015	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  16A 250V ~ 3500W	 25	 8 605009 1122498



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176017	H05VV-F 3G1,5 / 3m 4 x  / 1 x  /  16A 250V ~ 3500W	 25	 8 605009 1122504



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176019	H05VV-F 3G1,5 / 5m 4 x  / 1 x  /  16A 250V ~ 3500W	 20	 8 605009 1122511



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 5-WAY PORTABLE SOCKET OUTLET PETOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM / KB-RB-05L UNWIREABLE

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176023	H05VV-F 3G1,5 / 1,4m 5 x  / 1 x  /  16A 250V ~ 3500W	 25	 8 605009 145435






Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176026	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 8 605009 122580



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176031	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 8 605009 122603



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176034	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 8 605009 122627



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 6-WAY PORTABLE SOCKET OUTLET ŠESTOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM / KB-RB-06L UNWIREABLE


Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176039	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 122696



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176042	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 122702



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176046	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 122719



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 3-WAY PORTABLE SOCKET OUTLET
TROSTRUKA KB-RB-03L SA SAVITLJIVIM KABLOM / KB-RB-03L UNWIREABLE

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176005	H05VV-F 3G2,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 1605009 1107020





Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176009	H05VV-F 3G2,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 1605009 107037



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176012	H05VV-F 3G2,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 1605009 1129664



3X2,5 PREČNIK KABLA
CABLE DIAMETER



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 5-WAY PORTABLE SOCKET OUTLET PETOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM / KB-RB-05L UNWIREABLE

H05VV-F 3G2,5

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176025	H05VV-F 3G2,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 103565





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176030	H05VV-F 3G2,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 103572



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176033	H05VV-F 3G2,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 103589



3X2,5 PREČNIK KABLA
CABLE DIAMETER



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE (PODSKLOP BEZ KABLA)

MULTIPLE PORTABLE SOCKET-OUTLETS (SUBASSEMBLY WITHOUT CORD)

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175008	PRENOSNA PRIKLJUČNICA / 3-WAY PORTABLE SOCKET TROSTRUKA KB-RB-03L 3 x  / 	 75	 8160500911223681



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175002	PRENOSNA PRIKLJUČNICA / 4-WAY PORTABLE SOCKET ČETVOROSTRUKA KB-RB-04L 4 x  / 	 60	 8160500911224811



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175004	PRENOSNA PRIKLJUČNICA / 5-WAY PORTABLE SOCKET PETOSTRUKA KB-RB-05L 5 x  / 	 60	 8160500911225661



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175006	PRENOSNA PRIKLJUČNICA / 6-WAY PORTABLE SOCKET ŠESTOSTRUKA KB-RB-06L 6 x  / 	 50	 8160500911226891



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
TROSTRUKA KB-RB-03KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**3-WAY PORTABLE SOCKET OUTLET
KB-RB-03KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176001	H05VV-F 3G1,5 / 1,4m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 35	 8 605009 145428



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176003	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 35	 8 605009 122450



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176007	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 30	 8 605009 122467



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176011	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 25	 8 605009 122474



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
ČETVOROSTRUKA KB-RB-04KL SA SAVITLJIVIM
KABLOM I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**4-WAY PORTABLE SOCKET OUTLET
KB-RB-04KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176014	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122535



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176016	H05VV-F 3G1,5 / 3m 4 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122542



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176018	H05VV-F 3G1,5 / 5m 4 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122559



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
PETOSTRUKA KB-RB-05KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**5-WAY PORTABLE SOCKET OUTLET
KB-RB-05KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176022	H05VV-F 3G1,5 / 1,4m 5 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 145442



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176024	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122658



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176028	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122665



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176032	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 122672



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
ŠESTOSTRUKA KB-RB-06KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**6-WAY PORTABLE SOCKET OUTLET
KB-RB-06KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176038	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  /  16A 250V ~ 3500W	 20	 8 605009 122733



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176041	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  /  16A 250V ~ 3500W	 15	 8 605009 122740



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176043	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  /  16A 250V ~ 3500W	 15	 8 605009 122757



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE SA
DVOPOLNOM INDIKATORSKOM SKLOPKOM
(PODSKLOP BEZ KABLA)**

**MULTIPLE PORTABLE SOCKET-OUTLETS
WITH TWO-POLE INDICATION SWITCH
(SUBASSEMBLY WITHOUT CORD)**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175007	PRENOSNA PRIKLJUČNICA / 3-WAY PORTABLE SOCKET TROSTRUKA KB-RB-03KL / OUTLET KB-RB-03KL 3 x   	 60	 8 605009 122443



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175001	PRENOSNA PRIKLJUČNICA / 4-WAY PORTABLE SOCKET ČETVOROSTRUKA KB-RB-04KL / OUTLET KB-RB-04KL 4 x    	 60	 8 605009 122528



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175003	PRENOSNA PRIKLJUČNICA / 5-WAY PORTABLE SOCKET PETOSTRUKA KB-RB-05KL / OUTLET KB-RB-05KL 5 x     	 50	 8 605009 122641



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175005	PRENOSNA PRIKLJUČNICA / 6-WAY PORTABLE SOCKET ŠESTOSTRUKA KB-RB-06KL / OUTLET KB-RB-06KL 6 x      	 35	 8 605009 122726



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**VIŠESTRUKA PRENOSNA PRIKLJUČNICA NERASTAVNA
SA PRENAPONSKOM ZAŠTITOM SA SAVITLJIVIM KABLOM
I DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**MULTIPLE PORTABLE NON-DETACHABLE
SOCKET-OUTLETS WITH OVERVOLTAGE
PROTECTION AND FLEXIBLE
CORD / TWO-POLE SWITCH**

PRENAPONSKA ZAŠTITA OVERVOLTAGE PROTECTION

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176359	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11355 04



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176360	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11355 11



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176361	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11355 28



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176414	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11362 73



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176426	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11363 96



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176437	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  /  16A 250V ~ 3680W		 8 605 009 11360 13



VIŠESTRUKKE PRENOSNE PRIKLJUČNICE

MULTIPLE PORTABLE SOCKETS

Namena višestrukih prenosnih priključnica je istovremeno priključivanje više električnih aparata odgovarajuće ukupne snage, kada su pomenuti udaljeni od priključnica ugrađenih u trajnu električnu instalaciju. Prenosne priključnice se upotrebljavaju u domaćinstvu, kancelarijama, izložbenim i sajamskim prostorijama, servisnim radionicama i garažama. Višestruka prenosna priključnica se sastoji od tri osnovna dela: tela prenosne priključnice, savitljivog kabla i nerastavnog utikača. Telo prenosne priključnice izradjeno je od kvalitetnog izolacionog materijala a konstruktivno objedinjuje više dvopolnih priključnica 10/16 A, 230-250 V sa ili bez kontakta za uzemljenje.

The purpose of multiple portable sockets is the simultaneous connection of several electrical appliances of appropriate total power, when the said devices are at a safe distance from the sockets installed in a permanent electrical installation. Portable sockets are suitable for use in households, offices, exhibition and fair premises, service workshops and garages. The multiple transmission connector consists of three basic parts: the body of the transmission connector, the flexible cable and the non-detachable plug. The body of the transmission socket is made of quality insulation material and structurally combines several double pole sockets 10/16 A, 230-250 V with or without earthing contact.



Pakovanje prenosne priključnice sa kablom

Packing portable socket with cord



Pakovanje prenosne priključnice bez kabla

Packing portable socket without cord

**NOVO
NEW**

**PRENOSNA PRIKLJUČNICA NERASTAVNA
TROSTRUKA KB-RB-03L SA SAVITLJIVIM KABLOM**

**3-WAY PORTABLE SOCKET OUTLET
KB-RB-03L UNWIREABLE**

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176398	H05VV-F 3G1,5 / 1,4m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136112





Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176400	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136136



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176403	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136167



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176406	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136198



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA
ČETVROSTRUKA KB-RB-04L SA SAVITLJIVIM KABLOM

4-WAY PORTABLE SOCKET OUTLET
KB-RB-04L UNWIREABLE





Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176409	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136228



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176411	H05VV-F 3G1,5 / 3m 4 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136242



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176413	H05VV-F 3G1,5 / 5m 4 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136266



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!




PRENOSNA PRIKLJUČNICA NERASTAVNA
PETOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM / 5-WAY PORTABLE SOCKET OUTLET
KB-RB-05L UNWIREABLE

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176416	H05VV-F 3G1,5 / 1,4m 5 x  / 1 x  /  16A 250V ~ 3500W	 25	 

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176418	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176421	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176424	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3500W	 20	 



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA
ŠESTOSTRUKA KB-RB-06L SA SAVITLJIVIM KABLOM

/ 6-WAY PORTABLE SOCKET OUTLET
KB-RB-06L UNWIREABLE





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176428	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136419



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176430	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136433



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176432	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  16A 250V ~ 3500W		 8 605009 136457



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA / 3-WAY PORTABLE SOCKET OUTLET
TROSTRUKA KB-RB-03L SA SAVITLJIVIM KABLOM / KB-RB-03L UNWIREABLE

H05VV-F 3G2,5

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176401	H05VV-F 3G2,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605 009 136 143



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176404	H05VV-F 3G2,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605 009 136 174



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176407	H05VV-F 3G2,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3500W		 8 605 009 136 204



3X2,5 PRESEK KABLA
CABLE DIAMETER



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA
PETOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM

5-WAY PORTABLE SOCKET OUTLET
KB-RB-05L UNWIREABLE

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176419	H05VV-F 3G2,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3500W		 816050091136327





Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176422	H05VV-F 3G2,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3500W		 816050091136358



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176425	H05VV-F 3G2,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3500W		 816050091136389



3X2,5
PRESEK KABLA
CABLE DIAMETAR



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS

 JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET

 JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE (PODSKLOP BEZ KABLA)

MULTIPLE PORTABLE SOCKET-OUTLETS (SUBASSEMBLY WITHOUT CORD)

Šifra Code	Model / Model Opis modela / Model description	Pak. Pack.	Bar kod EAN code
175082	PRENOSNA PRIKLJUČNICA / 3-WAY PORTABLE SOCKET TROSTRUKA KB-RB-03L 3 x  / 	 75	 8 605009 136037



Šifra Code	Model / Model Opis modela / Model description	Pak. Pack.	Bar kod EAN code
175084	PRENOSNA PRIKLJUČNICA / 4-WAY PORTABLE SOCKET ČETVOROSTRUKA KB-RB-04L 4 x  / 	 60	 8 605009 136051



Šifra Code	Model / Model Opis modela / Model description	Pak. Pack.	Bar kod EAN code
175086	PRENOSNA PRIKLJUČNICA / 5-WAY PORTABLE SOCKET PETOSTRUKA KB-RB-05L 5 x  / 	 60	 8 605009 136075



Šifra Code	Model / Model Opis modela / Model description	Pak. Pack.	Bar kod EAN code
175088	PRENOSNA PRIKLJUČNICA / 6-WAY PORTABLE SOCKET ŠESTOSTRUKA KB-RB-06L 6 x  / 	 50	 8 605009 136099



KAČENJE KLEME / CLAMP HANGING



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
TROSTRUKA KB-RB-03KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**3-WAY PORTABLE SOCKET OUTLET
KB-RB-03KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176397	H05VV-F 3G1,5 / 1,4m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 35	 8 605 009 113 61 051



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176399	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 35	 8 605 009 113 61 291



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176402	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 30	 8 605 009 113 61 501



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176405	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  /  16A 250V ~ 3500W	 25	 8 605 009 113 61 811



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
ČETVOROSTRUKA KB-RB-04KL SA SAVITLJIVIM
KABLOM I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**4-WAY PORTABLE SOCKET OUTLET
KB-RB-04KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176408	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  /  16A 250V ~ 3500W	 25	 8 605 009 136 211



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176410	H05VV-F 3G1,5 / 3m 4 x  / 1 x  /  /  16A 250V ~ 3500W	 25	 8 605 009 136 235



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176412	H05VV-F 3G1,5 / 5m 4 x  / 1 x  /  /  16A 250V ~ 3500W	 20	 8 605 009 136 259



**MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS**



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA NERASTAVNA
PETOSTRUKA KB-RB-05KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM

5-WAY PORTABLE SOCKET OUTLET
KB-RB-05KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176415	H05VV-F 3G1,5 /1,4m 5 x  / 1 x  /  / 16A 250V ~ 3500W	 25	 8 605009 136280





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176417	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  / 16A 250V ~ 3500W	 25	 8 605009 136303



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176420	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  / 16A 250V ~ 3500W	 20	 8 605009 136334



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176423	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  / 16A 250V ~ 3500W	 20	 8 605009 136365



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA NERASTAVNA
ŠESTOSTRUKA KB-RB-06KL SA SAVITLJIVIM KABLOM
I DVOPOLNOM INDIKATORSKOM SKLOPKOM**

**6-WAY PORTABLE SOCKET OUTLET
KB-RB-06KL UNWIREABLE WITH
TWO-POLE INDICATION SWITCH**





Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176427	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 136402



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176429	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 136426



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176431	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  /  16A 250V ~ 3500W		 8 605009 136440



**MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS**



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE SA
DVOPOLNOM INDIKATORSKOM SKLOPKOM
(PODSKLOP BEZ KABLA)**

**MULTIPLE PORTABLE SOCKET-OUTLETS
WITH TWO-POLE INDICATION SWITCH
(SUBASSEMBLY WITHOUT CORD)**



KAČENJE KLEME / CLAMP HANGING

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175081	PRENOSNA PRIKLJUČNICA / 3-WAY PORTABLE SOCKET TROSTRUKA KB-RB-03KL / OUTLET KB-RB-03KL 3 x   	 60	 8 605009 136020



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175083	PRENOSNA PRIKLJUČNICA / 4-WAY PORTABLE SOCKET ČETVOROSTRUKA KB-RB-04KL / OUTLET KB-RB-04KL 4 x    	 60	 8 605009 136044



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175085	PRENOSNA PRIKLJUČNICA / 5-WAY PORTABLE SOCKET PETOSTRUKA KB-RB-05KL / OUTLET KB-RB-05KL 5 x     	 50	 8 605009 136068



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175087	PRENOSNA PRIKLJUČNICA / 6-WAY PORTABLE SOCKET ŠESTOSTRUKA KB-RB-06KL / OUTLET KB-RB-06KL 6 x      	 35	 8 605009 136082



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA SA PRENAPONSKOM ZAŠTITOM + PUNJAČ 2USB




PORTABLE SCKET - OUTLET WITH SURGE PROTECTION + CHARGER 2USB



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176433	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  USB 10W, 2X2A 16A 250V 3500 W	 5	 8 605009 136464



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176434	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  USB 10W, 2X2A 16A 250V 3500 W	 5	 8 605009 136471



MOGUĆNOST MONTAŽE NA 3 NAČINA
MOUNTING POSSIBILITY IN THREE WAYS



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

VIŠESTRUKKE PRENOSNE PRIKLJUČNICE

ALUMINIJUMSKE

MULTIPLE PORTABLE SOCKETS

ALUMINIUM

Namena višestrukih prenosnih priključnica je istovremeno priključivanje više električnih aparata odgovarajuće ukupne snage, kada su pomenuti udaljeni od priključnica ugrađenih u trajnu električnu instalaciju. Prenosne priključnice se upotrebljavaju u domaćinstvu, kancelarijama, izložbenim i sajamskim prostorijama, servisnim radionicama i garažama. Višestruka prenosna priključnica se sastoji od tri osnovna dela: tela prenosne priključnice, savitljivog kabla i nerastavnog utikača. Telo prenosne priključnice izradjeno je od kvalitetnog izolacionog materijala a konstruktivno objedinjuje više dvopolnih priključnica 10/16 A, 230-250 V sa ili bez kontakta za uzemljenje.

The purpose of multiple portable sockets is the simultaneous connection of several electrical appliances of appropriate total power, when the said devices are at a safe distance from the sockets installed in a permanent electrical installation. Portable sockets are suitable for use in households, offices, exhibition and fair premises, service workshops and garages. The multiple transmission connector consists of three basic parts: the body of the transmission connector, the flexible cable and the non-detachable plug. The body of the transmission socket is made of quality insulation material and structurally combines several double pole sockets 10/16 A, 230-250 V with or without earthing contact.



Pakovanje prenosne priključnice sa kablom

Packing portable socket with cord



Pakovanje podsklopa bez kabla

Packing subassembly without cord

**PRENOSNA PRIKLJUČNICA
TROSTRUKA KB-RB-03L SA SAVITLJIVIM KABLOM**

**3-WAY PORTABLE SOCKET OUTLET
KB-RB-03L WITH FLEXIBLE CORD**

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176236	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132893



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176237	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132909



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176238	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132916




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176239	H05VV-F 3G1,5 / 10m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132923



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176240	H05VV-F 3G1,5 / 15m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132930



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176241	H05VV-F 3G1,5 / 20m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132947



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA / 4-WAY PORTABLE SOCKET OUTLET

ČETVOROSTRUKA KB-RB-04L SA SAVITLJIVIM KABLOM / KB-RB-04L WITH FLEXIBLE CORD



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176288	H05VV-F 3G1,5 / 2m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133456



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176289	H05VV-F 3G1,5 / 3m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133463



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176290	H05VV-F 3G1,5 / 5m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133470



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176291	H05VV-F 3G1,5 / 10m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133487



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176292	H05VV-F 3G1,5 / 15m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133494



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176293	H05VV-F 3G1,5 / 20m 4 x / 1 x / 16A 250V ~ 3680W	5	 8 605009 133500



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA PETOSTRUKA KB-RB-05L SA SAVITLJIVIM KABLOM

5-WAY PORTABLE SOCKET OUTLET KB-RB-05L WITH FLEXIBLE CORD



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176242	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132954



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176243	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132961



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176244	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132978



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176245	H05VV-F 3G1,5 / 10m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132985



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176246	H05VV-F 3G1,5 / 15m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 132992



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176247	H05VV-F 3G1,5 / 20m 5 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133005



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA ŠESTOSTRUKA KB-RB-06L SA SAVITLJIVIM KABLOM / 6-WAY PORTABLE SOCKET OUTLET KB-RB-06L WITH FLEXIBLE CORD



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176300	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133579



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176301	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133586



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176302	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133593



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176303	H05VV-F 3G1,5 / 10m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133609



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176304	H05VV-F 3G1,5 / 15m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133616



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176305	H05VV-F 3G1,5 / 20m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133623



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA OSMOSTRUKA KB-RB-08L SA SAVITLJIVIM KABLOM

8-WAY PORTABLE SOCKET OUTLET KB-RB-08L WITH FLEXIBLE CORD

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176248	H05VV-F 3G2,5 / 2m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133012



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176249	H05VV-F 3G2,5 / 3m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 13302



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176250	H05VV-F 3G2,5 / 5m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133036




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176251	H05VV-F 3G2,5 / 10m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133043



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176252	H05VV-F 3G2,5 / 15m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133050



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176253	H05VV-F 3G2,5 / 20m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133067



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRENOSNA PRIKLJUČNICA / 10-WAY PORTABLE SOCKET OUTLET DESETOSTRUKA KB-RB-10L SA SAVITLJIVIM KABLOM / KB-RB-10L WITH FLEXIBLE CORD

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176254	H05VV-F 3G2,5 / 2m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133074



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176255	H05VV-F 3G2,5 / 3m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133081



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176256	H05VV-F 3G2,5 / 5m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133098



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176257	H05VV-F 3G2,5 / 10m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133104



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176258	H05VV-F 3G2,5 / 15m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133111



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176259	H05VV-F 3G2,5 / 20m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133128



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE / MULTIPLE PORTABLE SOCKET-OUTLETS (PODSKLOP BEZ KABLA) (SUBASSEMBLY WITHOUT CORD)



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175064	PRENOSNA PRIKLJUČNICA TROSTRUKA AL KB-RB-03L / 3-WAY PORTABLE SOCKET OUTLET AL KB-RB-03L 3 x  	 10	 8 605009 132817



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175072	PRENOSNA PRIKLJUČNICA ČETVOSTRUKA AL KB-RB-04L / 4-WAY PORTABLE SOCKET OUTLET AL KB-RB-04L 4 x  	 10	 8 605009 133418



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175066	PRENOSNA PRIKLJUČNICA PETOSTRUKA AL KB-RB-05L / 5-WAY PORTABLE SOCKET OUTLET AL KB-RB-05L 5 x  	 10	 8 605009 132831



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175074	PRENOSNA PRIKLJUČNICA ŠESTOSTRUKA AL KB-RB-06L / 6-WAY PORTABLE SOCKET OUTLET AL KB-RB-06L 6 x  	 10	 8 605009 133432



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175068	PRENOSNA PRIKLJUČNICA OSMOSTRUKA AL KB-RB-08L / 8-WAY PORTABLE SOCKET OUTLET AL KB-RB-08L 8 x  	 10	 8 605009 132855



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175070	PRENOSNA PRIKLJUČNICA DESETOSTRUKA AL KB-RB-10L / 10-WAY PORTABLE SOCKET OUTLET AL KB-RB-10L 10 x  	 10	 8 605009 122443



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA TROSTRUKA
AL +P KB-RB-03KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**3-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-03KL WITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176260	H05VV-F 3G1,5 / 2m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133135



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176261	H05VV-F 3G1,5 / 3m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133142



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176262	H05VV-F 3G1,5 / 5m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133159



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176263	H05VV-F 3G1,5 / 10m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133166



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176264	H05VV-F 3G1,5 / 15m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133173



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176265	H05VV-F 3G1,5 / 20m 3 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133180



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET




JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA ČETVOROSTRUKA
AL +P KB-RB-04KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**4-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-04KL WITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176294	H05VV-F 3G1,5 / 2m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133517



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176295	H05VV-F 3G1,5 / 3m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133524



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176296	H05VV-F 3G1,5 / 5m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133531



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176297	H05VV-F 3G1,5 / 10m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133548



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176298	H05VV-F 3G1,5 / 15m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133555



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176299	H05VV-F 3G1,5 / 20m 4 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133562



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA PETOSTRUKA
AL +P KB-RB-05KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**5-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-05KLWITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176266	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133197



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176267	H05VV-F 3G1,5 / 3m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133203



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176268	H05VV-F 3G1,5 / 5m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133210



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176269	H05VV-F 3G1,5 / 10m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133227



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176270	H05VV-F 3G1,5 / 15m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133234



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176271	H05VV-F 3G1,5 / 20m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133241



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET




JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA ŠESTOSTRUKA
AL +P KB-RB-06KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**6-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-06KLWITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176306	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133630



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176307	H05VV-F 3G1,5 / 3m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133647



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176308	H05VV-F 3G1,5 / 5m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133654



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176309	H05VV-F 3G1,5 / 10m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133661



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176310	H05VV-F 3G1,5 / 15m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133678



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176311	H05VV-F 3G1,5 / 20m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 1133685



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA OSMOSTRUKA
AL +P KB-RB-08KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**8-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-08KL
/ TWO-POLE INDICATION SWITCH**



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176272	H05VV-F 3G2,5 / 2m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133258



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176273	H05VV-F 3G2,5 / 3m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133265



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176274	H05VV-F 3G2,5 / 5m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133272



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176275	H05VV-F 3G2,5 / 10m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133289



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176276	H05VV-F 3G2,5 / 15m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133296



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176277	H05VV-F 3G2,5 / 20m 8 x  / 1 x  /  16A 250V ~ 3680W		 8 1605009 133302



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA DESETOSTRUKA
AL +P KB-RB-10KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**10-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-10KL WITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176278	H05VV-F 3G2,5 / 2m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133319



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176279	H05VV-F 3G2,5 / 3m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133326



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176280	H05VV-F 3G2,5 / 5m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133333




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176281	H05VV-F 3G2,5 / 10m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133340



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176282	H05VV-F 3G2,5 / 15m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133357



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176283	H05VV-F 3G2,5 / 20m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 8 605009 133364



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**PRENOSNA PRIKLJUČNICA DESETOSTRUKA
AL +P KB-RB-10KL SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM**

**10-WAY PORTABLE SOCKET OUTLET
AL +P. KB-RB-10KL WITH FLEXIBLE CORD
/ TWO-POLE INDICATION SWITCH**

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176278	H05VV-F 3G2,5 / 2m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133319



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176279	H05VV-F 3G2,5 / 3m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133326



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176280	H05VV-F 3G2,5 / 5m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133333



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176281	H05VV-F 3G2,5 / 10m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133340



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176282	H05VV-F 3G2,5 / 15m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133357



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176283	H05VV-F 3G2,5 / 20m 10 x  / 1 x  /  16A 250V ~ 3680W		 8 605009 133364



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**VIŠESTRUKÉ PRENOSNE PRIKLJUČNICE SA
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM
(PODSKLOP BEZ KABLA)**

**MULTIPLE PORTABLE SOCKET-OUTLETS
WITH TWO-POLE INDICATION SWITCH
(SUBASSEMBLY WITHOUT CORD)**

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175065	PRENOSNA PRIKLJUČNICA TROSTRUKA AL +P KB-RB-03KL / 3-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-03KL 3 x   	 10	 8 605009 1132824



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175073	PRENOSNA PRIKLJUČNICA ČETVOROSTRUKA AL +P KB-RB-04KL / 4-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-04KL 4 x    	 10	 8 605009 1133425



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175067	PRENOSNA PRIKLJUČNICA PETOSTRUKA AL +P KB-RB-05KL / 5-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-05KL 5 x     	 10	 8 605009 1132848




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175075	PRENOSNA PRIKLJUČNICA ŠESTOSTRUKA AL +P KB-RB-06KL / 6-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-06KL 6 x      	 10	 8 605009 1133449



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175069	PRENOSNA PRIKLJUČNICA OSMOSTRUKA AL +P KB-RB-08KL / 8-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-08KL 8 x        	 10	 8 605009 1132862



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
175071	PRENOSNA PRIKLJUČNICA DESETOSTRUKA AL +P KB-RB-10KL / 10-WAY PORTABLE SOCKET OUTLET AL +P KB-RB-10KL 10 x          	 10	 8 605009 1132886



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

VIŠESTRUKA PRENOSNA PRIKLJUČNICA
SA PRENAPONSKOM ZAŠTITOM SA SAVITLJIVIM KABLOM I
DVOPOLNOM PREGIBNOM INDIKATORSKOM SKLOPKOM

MULTIPLE PORTABLE
SOCKET-OUTLETS WITH OVERVOLTAGE
PROTECTION AND FLEXIBLE CORD



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176284	H05VV-F 3G1,5 / 2m 5 x  / 1 x  /  16A 250V ~ 3680W	 5	 816050091133371 

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176285	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  16A 250V ~ 3680W	 5	 816050091133388 

H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176286	H05VV-F 3G2,5 / 2m 8 x  / 1 x  /  16A 250V ~ 3680W	 5	 816050091133395 



H05VV-F 3G2,5

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176287	H05VV-F 3G2,5 / 2m 10 x  / 1 x  /  16A 250V ~ 3680W	 5	 816050091133401 

3X1,5

PREČNIK KABLA
CABLE DIAMETER

3X2,5



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG






PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

**VIŠESTRUKA PRENOSNA PRIKLJUČNICA
SA USB DODATKOM, SAVITLJIVIM KABLOM I DVOPOLNOM
PREGIBNOM INDIKATORSKOM SKLOPKOM**

**MULTIPLE PORTABLE
SOCKET-OUTLETS WITH USB ADDITION
AND FLEXIBLE CORD / TWO-POLE SWITCH**

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176377	H05VV-F 3G1,5 / 2m 6 x  / 1 x  /  USB 2,1A 5V 16A 250V ~ 3680W		 8 46 05 00 91 355 4 2



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

PRIKLJUČNI KABLOVI



CONNECTION CABLES

Priključni kablovi su skup savitljivih električnih vodova, najčešće izrađenih od bakarnih licnastih provodnika, različitih preseka izolovanih PVC masom. Imaju široku primenu a najviše se koriste za izradu priključnih kablova za mašine, električne aparate, šporete, frižidere kao i za izradu produžnih kablova.

Connection cables are a set of flexible electrical lines, usually made of copper personal conductors, of different cross-sections insulated with PVC mass. They have a wide application and are mostly used for the production of connection cables for machines, electrical appliances, stoves, refrigerators, as well as for the production of extension cables



PRIKLJUČNI KABLOVI CONNECTION CABLES



Pun presek
mesinganih viljuški
Full cross section
of brass forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
177019	H05VV-F 3G1,5 / 1,5m / 		 8 605009 1103114	
177024	H05VV-F 3G1,5 / 2m / 		 8 605009 1103343	
177026	H05VV-F 3G1,5 / 3m / 		 8 605009 1103152	
177030	H05VV-F 3G1,5 / 5m / 		 8 605009 1103169	





JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI
CONNECTION CABLES



Pun presek
mesinganih
viljuški
Full cross
section of brass
forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177015	H05RR-F 3G1,5 / 1,5m / ● 1 x ①	70	8 605 009 103 091
177017	H05RR-F 3G1,5 / 2m / ● 1 x ①	60	8 605 009 103 107
177018	H05RR-F 3G1,5 / 3m / ● 1 x ①	40	8 605 009 103 558





JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI CONNECTION CABLES



Pun presek
mesinganih viljuški
Full cross section
of brass forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177042	H05VV-F 3G2,5 / 1,5m /  1 x		 8 605 009 103 381
177045	H05VV-F 3G2,5 / 2m /  1 x		 8 605 009 103 220
177048	H05VV-F 3G2,5 / 3m /  1 x		 8 605 009 103 374
177052	H05VV-F 3G2,5 / 5m /  1 x		 8 605 009 103 398



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI
CONNECTION CABLES



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177003	H05VV-F 2G1 / 2m / ● 1 x 		 8 605009 145374
177004	H05VV-F 2G1 / 4m / ● 1 x 		 8 605009 145381
177007	H05VV-F 2G1,5 / 2m / ● 1 x 		 8 605009 145398
177008	H05VV-F 2G1,5 / 4m / ● 1 x 		 8 605009 145404






JEDNOFAZNI RAVAN UTIKAČ
SINGLE STRAIGHT PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI CONNECTION CABLES



Pun presek
mesinganih
viljuški
Full cross
section of brass
forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177001	H05RR-F 2G1 / 2m / ● 1 x	80	8 605 009 145336
177002	H05RR-F 2G1 / 4m / ● 1 x	40	8 605 009 145343
177005	H05RR-F 2G1,5 / 2m / ● 1 x	60	8 605 009 145350
177006	H05RR-F 2G1,5 / 4m / ● 1 x	40	8 605 009 145367





JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI
CONNECTION CABLES



Pun presek
mesinganih
viljuški
Full cross
section of brass
forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177056	H05VV-F 5G2,5 / 1,5m /  1 x 		 8 605 009 103 213
177057	H05VV-F 5G2,5 / 2m /  1 x 		 8 605 009 103 336
177058	H05VV-F 5G2,5 / 3m /  1 x 		 8 605 009 103 367
177059	H05VV-F 5G2,5 / 5m /  1 x 		 8 605 009 104 401





TROFAZNI UTIKAČ POD UGLOM
THREE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABLOVI CONNECTION CABLES



Pun presek
mesinganih
viljuški
Full cross
section of brass
forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177053	H05RR-F 5G2,5 / 1,5m / ● 1 x 		 
177054	H05RR-F 5G2,5 / 2m / ● 1 x 		 
177055	H05RR-F 5G2,5 / 3m / ● 1 x 		 



TROFAZNI UTIKAČ POD UGLOM
THREE PHASE ANGLED PLUG



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

TELEFONSKI KABLOVI
TELEPHONE CABLES



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
180002	PGA4 / 3m / ○ 2 x RJ33	150	8 605009 103596
180003	PGA4 / 5m / ○ 2 x RJ33	120	8 605009 103602
180004	PGA4 / 10m / ○ 2 x RJ33	80	8 605009 103619
180005	PGA4 / 15m / ○ 2 x RJ33	60	8 605009 103626




RJ33

TELEFONSKI KONEKTOR MUŠKI
TELEPHONE CONNECTOR MALE



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

KABLOVI ZA PEGLU
IRON CABLES



Pun presek
mesinganih
viljuški
Full cross
section of brass
forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177092	H05RR-F 3G0,75 / 2m / 		 8 605009 104081
177093	H05RR-F 3G0,75 / 3m / 		 8 605009 104098



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG

TELEFONSKI KABL SPIRALNI
SPIRAL TELEPHONE CABLE



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
180006	TELEFONSKI KABAL SPIRALNI 3m BELI MTG	150	8 605009 103299



RJ11

TELEFONSKI KONEKTOR MUŠKI
TELEPHONE CONNECTOR MALE



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABL SA MEĐUGAJTANSKIM PREKIDAČEM CONNECTION CABLE WITH SWITCH



BELI / WHITE

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177083	H03VV-F 2G0,50 / 2m /  / 1 x 		
177087	H03VV-F 2G0,50 / 3m /  / 1 x 		



EURO UTIKAČ
EURO PLUG



ON/OFF PREKIDAČ
ON/OFF SWITCH



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABL SA MEĐUGAJTANSKIM PREKIDAČEM CONNECTION CABLE WITH SWITCH



CRNI / **BLACK**

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
177084	H03VV-F 2G0,50 / 2m / ● 1 x  / 1 x 		 8 605009 1127226	
177088	H03VV-F 2G0,50 / 3m / ● 1 x  / 1 x 		 8 605009 1103688	



EURO UTIKAČ
EURO PLUG



ON/OFF PREKIDAČ
ON/OFF SWITCH



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABL SA MEĐUGAJTANSKIM DIMEROM CONNECTION CABLE WITH DIMMABLE SWITCH



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177081	H03VV-F 2G0,50 / 2,5m /  / 1 x 		 8 605009 130714
177085	H03VV-F 2G0,50 / 3m /  / 1 x 		 8 605009 127233



EURO UTIKAČ
EURO PLUG



ON/OFF PREKIDAČ
ON/OFF SWITCH



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

PRIKLJUČNI KABL SA MEĐUGAJTANSKIM DIMEROM CONNECTION CABLE WITH DIMMABLE SWITCH



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
177082	H03VV-F 2G0,50 / 2,5m /  / 1 x 		
177086	H03VV-F 2G0,50 / 3m /  / 1 x 		



EURO UTIKAČ
EURO PLUG



ON/OFF PREKIDAČ
ON/OFF SWITCH



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

ADAPTER SA KABLOM ADAPTER WITH CABLE



Pun presek
mesinganih viljuški

Full cross section
of brass forks

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
176125	H05RR-F 5G2,50 / 0,5m / ● 1 x  / 1 x  16A, 250V/50Hz		 8 605009 126861



- * MOGUĆNOST IZRADE ADAPTERA SA VEĆOM DUŽINOM SAVITLJIVOG KABLA
* THE POSSIBILITY OF MAKING ADAPTER WITH A LONGER LENGTH OF FLEXIBLE CABLE
- ** MOGUĆNOST IZRADE PRODUŽNOG KABLA SA INDUSTRIJSKIM UTIKAČEM I PRIKLJUČNICOM
** THE POSSIBILITY OF MAKING EXTENSION CORD WITH INDUSTRIAL PLUG AND SOCKET (CEE NORM)



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



BOJA SAVITLJIVOG KABLA
CABLE COLOUR



TROFAZNI UTIKAČ POD UGLOM
THREE PHASE ANGLED PLUG

ADAPTER SA KABLOM

ADAPTER WITH CABLE



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
176126	H05RR-F 5G2,50 / 0,5m / ● 1 x  / 1 x  16A, 250V/50Hz		 8 160500 911268 61



- * MOGUĆNOST IZRADE ADAPTERA SA VEĆOM DUŽINOM SAVITLJIVOG KABLA
- * THE POSSIBILITY OF MAKING ADAPTER WITH A LONGER LENGTH OF FLEXIBLE CABLE
- ** MOGUĆNOST IZRADE PRODUŽNOG KABLA SA INDUSTRIJSKIM UTIKAČEM I PRIKLJUČNICOM
- **THE POSSIBILITY OF MAKING EXTENSION CORD WITH INDUSTRIAL PLUG AND SOCKET (CEE NORM)



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



TROFAZNA PRIKLJUČNICA
THREE PHASE SOCKET



BOJA SAVITLJIVOG KABLA
CABLE COLOUR

JEDNOSTRUKKE PRENOSNE PRIKLJUČNICE

SINGLE PORTABLE SOCKETS-OUTLETS

Jednostruke prenosne priključnice su provodnici - kablovi većih dužina idealna za korišćenje u domaćinstvu sa električnim aparatima koje nije moguće priključiti na postojeću mrežu zbog udaljenosti strujne mreže. Prenosne priključnice se upotrebljavaju u domaćinstvu, kao i na otvorenom prostoru za priključivanje alata.

The single portable sockets is a conductors - a cables of longer lengths, ideal for household use with electrical appliances that cannot be connected to the existing network due to the distance of the mains. Portable connectors are used in the household as well as in the open space for connecting tools.



JEDNOSTRUKÉ PRENOSNE PRIKLJUČNICE

SINGLE PORTABLE SOCKETS-OUTLETS

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176102	H05VV-F3G1 ,5 / 15m / ● 1 x  / 1 x 		 8 605009 119863



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176104	H05VV-F3G1 ,5 / 20m / ● 1 x  / 1 x 		 8 605009 119870



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176106	H05VV-F3G1 ,5 / 30m / ● 1 x  / 1 x 		 8 605009 119887



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

JEDNOSTRUKKE PRENOSNE PRIKLJUČNICE SINGLE PORTABLE SOCKETS-OUTLETS

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176103	H05VV-F 3G1,5 / 15m /  1 x  / 1 x 		 8 605009 119917



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176105	H05VV-F 3G1,5 / 20m /  1 x  / 1 x 		 8 605009 110494



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176107	H05VV-F 3G1,5 / 30m /  1 x  / 1 x 		 8 605009 111992



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

JEDNOSTRUKÉ PRENOSNE PRIKLJUČNICE

SINGLE PORTABLE SOCKETS-OUTLETS

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176076	H05VV-F 3G1,5 / 15m / ● 1 x  / 1 x 	 10	 8 605009 1104142



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176078	H05VV-F 3G1,5 / 20m / ● 1 x  / 1 x 	 8	 8 605009 1104159



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176080	H05VV-F 3G1,5 / 30m / ● 1 x  / 1 x 	 6	 8 605009 1104166



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

JEDNOSTRUKKE PRENOSNE PRIKLJUČNICE SINGLE PORTABLE SOCKETS-OUTLETS


Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176077	H05VV-F 3G1,5 / 15m /  1 x  / 1 x 		 8 605009 104111



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176079	H05VV-F 3G1,5 / 20m /  1 x  / 1 x 		 8 605009 104128



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176081	H05VV-F 3G1,5 / 30m /  1 x  / 1 x 		 8 605009 104135



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

JEDNOSTRUKÉ PRENOSNE PRIKLJUČNICE SINGLE PORTABLE SOCKETS-OUTLETS

Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176084	H05VV-F 3G1,5 / 3m /  1 x  / 1 x 		 8 605009 1103183




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176085	H05VV-F 3G1,5 / 5m /  1 x  / 1 x 		 8 605009 1103190



Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176082	H05VV-F 3G1,5 / 10m /  1 x  / 1 x 		 8 605009 1128421




Šifra Code	Model / Model Opis modela/ Model description	Pak. Pack.	Bar kod EAN code
176083	H05VV-F 3G1,5 / 15m /  1 x  / 1 x 		 8 605009 1128438



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

JEDNOSTRUKÉ PRENOSNE PRIKLJUČNICE SINGLE PORTABLE SOCKETS-OUTLETS

Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176088	H05VV-F 3G2,5 / 3m /  1 x  / 1 x 		 8 605009 128445




Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176089	H05VV-F 3G2,5 / 5m /  1 x  / 1 x 		 8 605009 128452



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176086	H05VV-F 3G2,5 / 10m /  1 x  / 1 x 		 8 605009 128469



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
176087	H05VV-F 3G2,5 / 15m /  1 x  / 1 x 		 8 605009 128476



Pun presek
mesinganih viljuški

Full cross section
of brass forks



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET




JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!

NOSAČ KABLA / CABLE CARRIER



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
181025	NOSAČ KABLA CRNI <i>CABLE CARRIER BLACK</i>	 30	 8 605009 1103732



Šifra Code	Model / <i>Model</i> Opis modela/ <i>Model description</i>	Pak. Pack.	Bar kod EAN code
181026	NOSAČ KABLA ORANŽ <i>CABLE CARRIER ORANGE</i>	 30	 8 605009 1103725



Preporučena maksimalna dužina kabla na nosaču je do 30m.
The recommended maximum cable length on the carrier is up to 30 m.



KABLOVSKE MOTALICE

CABLE REELS

Kablovska motalica nudi sigurnost u teškim uslovima rada: u industriji, građevinarstvu, brodogradnji i trgovini. Prikladna je i za svakodnevnu upotrebu u domaćinstvu. Visoki kvalitet i ergonomija pružaju jednostavnost u upotrebi i osiguravaju dug radni vek proizvoda. Motalice poseduju postolje i nosač lakši prenos, a ima i modela sa kolicima i točkovima kako bi lakše nosili kabal i do dužine 100 metara. Motalice poseduju različite preseke kablova: 3Gx1,50, 3Gx2,5, 5Gx1, 5 i 5Gx2,50. Imaju ugrađeni termoprekidač da spreči preopterećenje. Motalice imaju od dve do četiri različite priključnice koje su integrisane u bubnju. Bujanj motalice može biti metalni ili PVC. Utikači na kabl su monofazni, trofazni i industrijski UKO-UTO.

The cable reels offers safety in difficult working conditions: in industry, construction, shipbuilding and trade. It is also suitable for everyday household use. High quality and ergonomics provide ease of use and ensure a long product life. The reels have a stand and a carrier for easier transmission, and there are also models with carts and wheels to make it easier to carry the cable up to a length of 100 meters. The reels have different cable cross-sections: 3X1, 50, 3X2, 5, 5X1, 5, 5X2, 5. They have a built-in thermal switch to prevent overload. The reels have two to four different connectors that are integrated in the drum. The reel drum can be metal or PVC. The cable plugs are single-phase, three-phase and industrial UKO-UTO.




KABLOVSKIE MOTALICE / CABLE REELS



MAK-027A

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178004	Model: MAK-027A H05VV-F (PP/J) 3G1,5 / 15m  / Ø 210mm 4 x  / 1 x   4X16A 250V ~ 3000W IP44		 8 605009 132145
178005	Model: MAK-027A  / Ø 210mm Prazna/ Empty 4 x  		 8 605009 132206



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



PVC BUBANJ
PLASTIC REEL

KABLOVSKE MOTALICE / CABLE REELS



MAK 032A

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
178006	Model: MAK032A H05RR-F 3G1,5 / 25m ⌀ / Ø 240mm 4 x 16A 250V ~ 3500W IP44	1	8 605 009 132 176	
178007	Model: MAK032A H05RR-F 3G2,5 / 25m ⌀ / Ø 240mm 4 x 16A 250V ~ 3600W IP44	1	8 605 009 132 183	
178008	Model: MAK032A H05VV-F 3G1,5 / 25m ⌀ / Ø 240mm 4 x 16A 250V ~ 3500W IP44	1	8 605 009 132 152	
178009	Model: MAK032A H05VV-F 3G2,5 / 25m ⌀ / Ø 240mm 4 x 16A 250V ~ 3500W IP44	1	8 605 009 132 169	
178010	Model: MAK032A ⌀ / Ø 240mm Prazna/ Empty	1	8 605 009 132 213	



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH




PVC BUBANJ
PLASTIC REEL

KABLOVSKÉ MOTALICE / CABLE REELS



MAK-034A

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
178011	Model: MAK034A H05RR-F 3G1,5 / 50m 4 x / 1 x OVERLOAD 4x16A 250V ~ 3000W IP44		8 605 009 113 212 1	
178012	Model: MAK034A H05RR-F 3G2,5 / 50m 4 x / 1 x OVERLOAD 4x16A 250V ~ 3500W IP44		8 605 009 113 213 8	
178013	Model: MAK034A H05VV-F 3G1,5 / 50m 4 x / 1 x OVERLOAD 4x16A 250V ~ 3500W IP44		8 605 009 113 210 7	
178014	Model: MAK034A H05VV-F 3G2,5 / 50m 4 x / 1 x OVERLOAD 4x16A 250V ~ 3500W IP44		8 605 009 113 211 4	
178015	Model: MAK034A Prazna/ Empty 4 x OVERLOAD		8 605 009 113 222 0	



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



PVC BUBANJ
PLASTIC REEL

KABLOVSKÉ MOTALICE / CABLE REELS



MAK 4BT

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
178019	Model: MAK4BT H05RR-F 3G1,5 / 25m  / Ø 250 mm 4 x  / 1 x  4x16A 250V ~ 3000W IP44 		 8 605009 132008	
178020	Model: MAK4BT H05RR-F 3G2,5 / 50m  / Ø 250 mm 4 x  / 1 x  4x16A 250V ~ 3500W IP44 		 8 605009 132015	
178021	Model: MAK4BT H05VV-F 3G1,5 / 25m  / Ø 250 mm 4 x  / 1 x  4x16A 250V ~ 3000W IP44 		 8 605009 131988	
178022	Model: MAK4BT H05VV-F 3G2,5 / 25m  / Ø 250 mm 4 x  / 1 x  4x16A 250V ~ 3500W IP44 		 8 605009 131995	
178023	Model: MAK4BT  / Ø 250 mm Prazna/ Empty 4 x  		 8 605009 132244	



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



PVC BUBANJ
PLASTIC REEL

KABLOVSKE MOTALICE / CABLE REELS



MAK55

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178024	Model: MAK55 H05RR-F 3G1,5 / 50m  / Ø 295 mm 4 x  / 1 x  4x16A 250V ~3000W IP44 		 
178025	Model: MAK55 H05RR-F 3G2,5 / 50m  / Ø 295 mm 4 x  / 1 x  4x16A 250V ~ 3500W IP44 		 
178026	Model: MAK55 H05VV-F 3G1,5 / 50m  / Ø 295 mm 4 x  / 1 x  4x16A 250V ~ 3000W IP44 		 
178027	Model: MAK55 H05VV-F 3G2,5 / 50m  / Ø 295 mm 4 x  / 1 x  4x16A 250V ~ 3500W IP44 		 
178028	Model: MAK55  / Ø 295 mm Prazna/ Empty 4 x  		 



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG

OVERLOAD

ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



PVC BUBANJ
PLASTIC REEL

KABLOVSKE MOTALICE / CABLE REELS



MAK-017

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178001	Model: MAK-017 H05RR-F (GG/J) 5G2,5 / 50m  / Ø 380mm 2 x  /1X  1 x  OVERLOAD 16A 250/440V ~ 9000W IP44		 8 605009 132091
178002	Model: MAK-017 H05VV-F (PP/J) 5G2,5 / 50m  / Ø 380mm 2 x  /1X  1 x  OVERLOAD 16A 250/440V ~ 9000W IP44		 8 605009 132084
178003	Model: MAK-017  / Ø 380mm Prazna/ 2 x  /1X  OVERLOAD Empty		 8 605009 132190



INDUSTRIJSKI UTIKAČ 3P+E+N
INDUSTRIAL PLUG 3P+E+N



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



ZAŠTITA OD PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



PVC BUBANJ
PLASTIC REEL



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



MAK 102A

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178016	Model: MAK102A H05RR-F 5G2,5 / 25m  / Ø 295 mm 2 x  /1X  1 x   OVERLOAD		 8 605009 132008 
178017	Model: MAK102A H05VV-F 5G2,5 / 25m  / Ø 295 mm 2 x  /1X  1 x   OVERLOAD		 8 605009 132015 
178018	Model: MAK102A  / Ø 295 mm Prazna/ Empty 2 x  /1X   OVERLOAD		 8 605009 131988 



INDUSTRIJSKI UTIKAČ 3P+E+N
INDUSTRIAL PLUG 3P+E+N



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD
PROTECTION-THERMO SWITCH



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



JEDNOFAZNI UTIKAČ POD UGLOM
SINGLE PHASE ANGLED PLUG



METALNI BUBANJ
METAL REEL

KABLOVSKÉ MOTALICE / CABLE REELS



MT 260

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178051	Model: MT260A H05VV-F 5G2,5 / 30m /370mm 2 x /2X 1 x 3x16A 250V ~ 12000W IP44	1	8 605 009 114 593 0
178053	Model: MT260B H05VV-F 5G2,5 / 40m /370mm 2 x /2X 1 x 3x16A 250V ~ 12000W IP44	1	8 605 009 114 594 7
178050	Model: MT260C H05RR-F 5G2,5 / 30m /370mm 2 x /2X 1 x 3x16A 250V ~ 12000W IP44	1	8 605 009 114 595 4
178052	Model: MT260D H05RR-F 5G2,5 / 40m /370mm 2 x /2X 1 x 3x16A 250V ~ 12000W IP44	1	8 605 009 114 596 1



TROFAZNI UTIKAČ POD UGLOM
THREE- PHASE ANGLED PLUG



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



TROFAZNA PRIKLJUČNICA
THREE PHASE SOCKET



TROFAZNI UTIKAČ POD UGLOM
THREE PHASE ANGLED PLUG



METALNI BUBANJ
METAL REEL

KABLOVSKE MOTALICE / CABLE REELS



MT 208

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178066	Model: MT208B H05VV-F 5G1,5 / 50m Ⓜ /430mm 2 x Ⓜ /2X Ⓜ 1 x Ⓜ 3x16A 250V ~ 12000W IP44	1	816050091145817
178068	Model: MT208A H05VV-F 5G2,5 / 50m Ⓜ /430mm 2 x Ⓜ /2X Ⓜ 1 x Ⓜ 3x16A 250V ~ 12000W IP44	1	816050091145824
178059	Model: MT 208 H05RR-F 5G2,5 / 50m Ⓜ /430mm 2 x Ⓜ /2X Ⓜ 1 x Ⓜ 3x16A 250V ~ 12000W IP44	1	816050091104551



TROFAZNI UTIKAČ POD UGLOM
THREE- PHASE ANGLED PLUG



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



TROFAZNA PRIKLJUČNICA
THREE PHASE SOCKET



TROFAZNI UTIKAČ POD UGLOM
THREE PHASE ANGLED PLUG



METALNI BUBANJ
METAL REEL

KABLOVSKE MOTALICE / CABLE REELS



MT 258

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178070	Model: MT258 H05RR-F 3G2,5 / 50m  / Ø 370mm 4 x  / 1 x   16A, 250V/50Hz ~ 3500W, IP67		 8 605009 112727 1



INDUSTRIJSKI UTIKAČ 2P+E
INDUSTRIAL PLUG 2P+E



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



METALNI BUBANJ
METAL REEL



ZAŠTITA OD
PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG

MT 207



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
178069	Model: MT207 H05RR-F 5G2,5 / 40m  / Ø 270mm 2 x  / 2 x  / 1 x  3x16A, 2x250V ~ 12000W, IP67 		



INDUSTRIJSKI UTIKAČ 2P+E
INDUSTRIAL PLUG 2P+E



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



ZAŠTITA OD PREOPTEREĆENJA-TERMOPREKIDAČ
OVERLOAD PROTECTION-THERMO SWITCH



METALNI BUBANJ
METAL REEL



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG

PRENOSIVI GRAĐEVINSKI ORMANI

PORTABLE POWER DISTRIBUTION BOARDS

IP (ingress protection) kod je međunarodni standard koji propisuje različite stepene zaštite od prodiranja čvrstih tela i vode u uređaje i mašine. Prvi broj označava zaštitu od uticaja stranih tela, drugi broj zaštitu od tečnosti. IP 4X garantuje bezbednost od pristupa žice i drugih stranih tela delovima građevinskog ormana. Drugi broj X4 označava nivo zaštite uređaja od prskajuće vode iz svih pravaca. IP 6X potpuno sprečava prodiranje prašine i zaštita kontakata je potpuna. Drugi broj X6 štiti uređaj od prskajuće vode iz svih pravaca. Što su brojevi veći u IP oznaci proizvoda, zaštita je bolja. Građevinski orman IP 66 ima visoki stepen zaštite od prodora čvrstih tela.

IP (ingress protection) is an international standard that prescribes different degrees of protection against the penetration of solids and water into devices and machines. The first number means protection from the influence of foreign bodies, the second number protection from liquids. IP 4X guarantees safety from access to wires and other foreign bodies by parts of the of the power distribution board. The second number X4 protects the device from splashing water from all directions. IP 6X prevents dust and contact protection is complete. The second number X6 protects from strong jet of water at any angle. The higher the numbers in the product IPtag, the better the protection. Distribution board IP66 has a high degree of protection against the penetration of solids.



PRENOSIVI GRAĐEVINSKI ORMANI

PORTABLE POWER DISTRIBUTION BOARDS

Namena prenosivog građevinskog ormara je brzo i mobilno rešenje privremenog napajanja na radnom mestu. Najčešće se upotrebljava na gradilištima, u rudarstvu, industriji ili servisnim službama. Kućište je izrađeno od jake poliester plastike dok su metalni delovi od nerđajućeg čelika. Elementi građevinskog ormara su zaštićeni od spoljašnjih uticaja i imaju otpornost na udarce.

The purpose of the portable power distribution board is a fast and mobile solution for temporary power supply at the workplace. It is most often used on construction sites, in mining, industry or service departments. The case is made of strong polyester plastic, while the metal parts are made of stainless steel. The elements of the construction cabinet are protected from external influences and have impact resistance. Construction cabinet IP66 has a high degree of protection against the penetration of solids



PRENOSIVI GRAĐEVINSKI ORMANI TIP 1 IP44
PORTABLE POWER DISTRIBUTION BOARDS TYPE 1 IP44



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code		
144024	Model: TIP-1 H05RR-F 5G4 / 20m 1 x CEE 32A 6 x 16A / 3 x CEE 16A / 2 x CEE 32A 14 x MCB C16A / 6 x MCB 32A 1 x RCCB 63/0,5A 4P 32A, 440V/50Hz, IP44	1	8 605 009 128 094		INDUSTRIJSKI UTIKAČ 2P+E INDUSTRIAL PLUG 2P+E
					IP ZAŠTITA IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

PRENOSIVI GRAĐEVINSK ORMANI TIP 2 IP44 PORTABLE POWER DISTRIBUTION BOARDS TYPE 2 IP44



INDUSTRIJSKI UTIKAČ
INDUSTRIAL PLUG 3P+E+N

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
144027	Model: TIP-2 H05RR-F 5G2,5 / 20m 1 x  16A 6 x  16A / 3 x  16A 15 x  C16A 1 x  40/0,5A 4P 16A, 440V/50Hz, IP44		 8 605 009 128 100 



IP ZAŠTITA
IP PROTECTION



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

PRENOSIVI GRAĐEVINSKI ORMANI TIP 1IP66
PORTABLE POWER DISTRIBUTION BOARDS TYPE 1IP66



INDUSTRIJSKI UTIKAČ
INDUSTRIAL PLUG 3P+E+N



IP ZAŠTITA
IP PROTECTION



Table with 4 columns: Šifra Code, Opis / Description, Pak. Pack., and Bar kod EAN code. It lists technical specifications for the TIP-1A model, including components like circuit breakers (MCB), residual current circuit breakers (RCCB), and sockets, along with a barcode and a QR code.



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

PRENOSIVI GRAĐEVINSKI ORMANI TIP 2 IP66
PORTABLE POWER DISTRIBUTION BOARDS TYPE 2 IP66



INDUSTRIJSKI UTIKAČ
INDUSTRIAL PLUG 3P+E+N



IP ZAŠTITA
IP PROTECTION



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
144028	Model: TIP-2A H05RR-F 5G2,5 / 20m 1 x  16A 3 x  16A / 3 x  16A 12 x  C16A 1 x  40/0,5A 4P 16A, 440V/50Hz, IP66		 8 605009 128292 



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

PRENOSIVI GRAĐEVINSKI ORMANI TIP 3 IP44
PORTABLE POWER DISTRIBUTION BOARDS TYPE 3 IP44



INDUSTRIJSKI UTIKAČ
INDUSTRIAL PLUG 3P+E+N



IP ZAŠTITA
IP PROTETION



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
144029	Model: TIP-3 H05RR-F 5G4 / 5m 1 x CEE 32A 4 x 16A / 1 x CEE 16A / 1 x CEE 32A 5 x MCB C16A / 3 x MCB 32A 1 x RCCB 40/0,5A 4P 32A, 440V/50Hz, IP44	1	8 605009 128117



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

PRENOSIVI GRAĐEVINSKI ORMANI TIP 3 IP66
PORTABLE POWER DISTRIBUTION BOARDS TYPE 3 IP66



INDUSTRIJSKI UTIKAČ
INDUSTRIAL PLUG 3P+E+N



IP ZAŠTITA
IP PROTECTION



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
144030	Model: TIP-3A H05RR-F 5G4 / 5m 1 x CEE 32A 4 x 16A / 1 x CEE 16A / 1 x CEE 32A 5 x MCB C16A / 3 x MCB 32A 1 x RCCB 40/0,5A 4P 32A, 440V/50Hz, IP66	1	 8 605009 128308



JEDNOFAZNA PRIKLJUČNICA
SINGLE PHASE SOCKET



CEE RAVNA PRIKLJUČNICA
CEE STRAIGHT SOCKET



CEE RAVAN UTIKAČ
CEE STRAIGHT PLUG



AUTOMATSKI OSIGURAČ
MINIATURE CIRCUIT BREAKER



AUTOMATSKA SKLOPKA - FID SKLOPKA
RESIDUAL CURRENT CIRCUIT BREAKER

MOTORNE ZAŠTITE 3VE-1

MANUAL MOTOR

PROTECTORS/STARTERS 3VE-1

Motorna zaštita služi za uklop i isklop trofaznih opterećenja, prvenstveno pojedinih elektromotora, odnosno za zaštitu od preopterećenja. Koristi se kao zaštitni uređaj koji obezbeđuje priključenje motora najzmenične struje uz istovremenu višestruku zaštitu:

- zaštita od preopterećenja,
- termička zaštita (zaštita od pregrevanja),
- zaštita pri kratkim spojevima,
- zaštita prilikom ispada jedne faze, i
- zaštita pri nedozvoljenim padovima napona.

Manual motor starters are protection devices. They combine motor control (mainly to switch motors manually (ON/OFF) and protection. As protection device they are suitable for three- and single-phase applications providing multiple protection:

- protection from overload
- thermal protection against overheating
- phase failures protection
- under-voltage and over-voltage protections
- in combination with insulation fuse they provide protection against short-circuit overload.



MOTORNE ZAŠTITE 3VE-1

MANUAL MOTOR

PROTECTORS/STARTERS 3VE-1

- Montaža na DIN šinu
- Način montaže: vertikalni pad pod max. uglom $\pm 5^\circ$
- Radna temperatura okoline: -10°C - $+65^\circ\text{C}$
- Nominalni radni napon $U_e(\text{V})$: 230/240, 400/415, 440, 500 i 660
- Frekvencija: 50/60 Hz
- Napon izolacije: 660V
- Električni životni vek (broj uključenja/isključenja) $\geq 10^6$
- Mehanički životni vek (broj uključenja/isključenja) ≥ 100.000
- Prekidač poseduje integrisane No/Nc pomoćne kontakte
- Nazivni podnosivi impulsni napon: 6kV
- Stepen zaštite : IP 41
- Stepen zaštite: IP 55 postiže se smeštanjem 3VE1 sklopke u kućište sa upotrebom odgovarajućeg Au-ZnAl uvodnika sa gumenom zaptivkom

- DIN rail montage
 - Mounting: vertical with max. angle $\pm 5^\circ$
 - Nominal working voltage: $U_e(\text{V})$ 230/240, 400/415, 440, 500 and 660
 - Rated operational voltage: 660V
 - Rated insulation voltage: 660V
 - Electrical life (close-open operations for AC-3 duty) 10^5
 - Mechanical life (close-open operations) ≥ 100.000
 - This type of motor starter have integrated No/Nc auxiliary contacts
 - Rated impulse withstand voltage: 6kV
 - Degree of protection : IP 41
- Degree of protection: IP 55 is achieved by placing the 3VE1 switch at the housing with a use of the respective Au-ZnAl cable gland with rubber sealing



Tabela 1. Opsezi termičkih struja za monofazne i trofazne potrošače


Table 1. Current range settings for single and three - phase applications

Snaga i struja motora / Power and current of the motor		Podešavanje opsega za zaštitu od preopterećenja / Current setting range		Snaga i struja motora / Power and current of the motor		Podešavanje opsega za zaštitu od preopterećenja / Current setting range			
1 - fazni / 1- phase 230 - 240V				3 - fazni / 3-phase 400 - 414V					
(kW)	(A)	(A)		(kW)	(A)	(A)		aM(A)	gL(A)
0,06	0,7	0,63 - 1		0,06	0,2	0,16 - 0,25		-	1
0,09	0,7	0,63 - 1		0,09	0,3	0,25 - 0,4		1	2
0,12	1,3	1 - 1,6		0,12	0,4	0,4 - 0,63		1	2
0,18	1,9	1,6 - 2,5		0,18	0,6	0,4 - 0,63		1	2
0,25	2,4	1,6 - 2,5		0,25	0,8	0,63 - 1		1	2
0,37	2,9	2,5 - 4		0,37	1,1	1 - 1,6		2	4
0,55	4,2	4 - 6,3		0,55	1,5	1 - 1,6		2	4
0,75	5,6	4 - 6,3		0,75	1,9	1,6 - 2,5		4	6
1,1	7,4	6,3 - 10		1,1	2,6	2,5 - 4		6	10
1,5	8,9	6,3 - 10		1,5	3,6	2,5 - 4		6	10
2,2	14,5	10 - 16		2,2	5,0	4 - 6,3		10	16
3	17,8	14 - 20		2,5 - 3,0	6,6	6,3 - 10		10	20
				4,0	8,5	6,3 - 10		10	20
				5,5	11,3	10 - 16		16	25
				7,5	13,2	10 - 16		16	25
				11,0	21,7	16 - 25		25	50
				15,0	29,3	25 - 40		40	63
				18,5	36,0	25 - 40		40	63

ŠEMA POVEZIVANJA / CONNECTION DIAGRAM

Sve motorne zaštite su realizovane kao tropolne ali sa odgovarajućim povezivanjem može se postići da se one koriste i kao jednopolne.

The manual motor starter is suitable for three phase applications-motors. Using connection diagram shown bellow you can connect single-phase applications.




MOTORNE ZAŠTITE 3VE-1

MANUAL MOTOR PROTECTORS/STARTERS



Šifra <i>Code</i>	Opseg / <i>Range</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>	
226001	0,25A - 0,4A		 8 605009 110594	
226002	0,4A - 0,63A		 8 605009 110600	
226003	0,63A - 1A		 8 605009 100175	
226005	1A - 1,6A		 8 605009 100182	
226004	1,6A - 2,5A		 8 605009 100199	
226006	2,5A - 4A		 8 605009 100205	
226007	4A - 6A		 8 605009 100212	
226008	6A - 10A		 8 605009 100229	
226009	10A - 16A		 8 605009 100236	
226010	14A - 20A		 8 605009 100243	
226011	16A - 25A		 8 605009 100250	



KABLOVSKE SPOJNICE

CABLE CONNECTORS

Najbolji mogući način da se povežu dva kabla je uz pomoć kablovske spojnice, naročito u slučaju kada se zahteva visoka sigurnost kontakta. Mesingani kontakti koji se nalaze unutar kablovske spojnice omogućuju optimalnu provodljivost kablova. Kontakti su ugrađeni u specijalnu klemu otpornu na visoke temperature. Ova klema se može lako montirati i demontirati. Spojnica je postavljena tako da štiti kablovske spojeve od mehaničkih oštećenja i sa obe strane ima uvodnike koji pružaju IP67 zaštitu, čak i u ekstremnim uslovima.

The best possible way to connect two cables is with cable connector, especially in cases when high security of contact is needed. Brass contacts which are inside of cable connector provides optimal conductivity of cables. Contacts are build in special terminal, resistant to high temperatures. This terminal is easy to assemble or disassemble. Connector protects cable contacts from mechanical damage and on both sides has cable entry provides IP67 protection even in extreme conditions



KABLOVSKJE SPOJNICE / CABLE CONNECTORS



Šifra <i>Code</i>	Uvodnik <i>Cable gland</i>	Prečnik kablova <i>Cable diameters</i>	Pak. <i>Pack.</i>	Bar kod <i>EAN code</i>
172009	PG16	5x1,5mm ² , 3x2,5mm ² , 5x2,5mm ²	100	 8 1605009 118231
172010	PG21	5x4mm ² , 5x6mm ²	50	 8 1605009 118248



Provodnik u prekidu / *Interrupted cable*



1

Skinuti izolaciju sa provodnika i ubaciti provodnike u klemu. Zavrnuti vijke.
Take off isolation from conductors and put the conductors in terminal. Tighten the screws.



2

Ubaciti klemu u kućište spojnice / *Put terminal in cable connector.*



3

Zavrnuti i zategnuti uvodnike. / *Tighten the cable entry on both sides.*



4

IP67



115mm
124mm



26,5mm
33,5mm



1,5 / 2,5
4 / 6



PG16
PG21

RAZVODNE OG KUTIJE

JUNCTION BOXES

Razvodna kutija OG je izrađena od visokokvalitetne ABS plastike. Uvođenje različitih poprečnih preseka i vrsta kablova preko elastičnih uvodnika i otvora. Brzo se zatvaraju sa 4 plastična vijka. Tip zaštite je od IP54 pa do IP66. Otporne su na UV zrake. Visoko postavljene terminali obezbeđuju više mesta za spajanje. Duži plastični vijak osigurava da poklopac ne padne. Različiti položaji terminala i mogućnost postavljanja. Otporne su na kišu.

The OG junction box is made of high quality ABS plastic. Connecting different cross-sections and types of cables via elastic cable sleeves. It closes easily using 4 plastic screws. The type of protection is Ip65 and IP66. It is resistant to UV light. Highly placed terminals provide more connection points. A longer plastic screw ensures that the cover does not fall off. Different positions of the terminal and installation possibilities. Waterproof

Pogodne za unutrašnje i spoljašnje instalacije i poseduju zaštitu od vremenskih uticaja. Ambijentalna temperatura: -25°C - +60°C ABS je idealan izbor materijala za različite strukturne primene, među kojima je izrada OG kutija.

Zahvaljujući nekoliko fizičkih svojstava kao što su:

- Veoma je čvrst materijal
- Dobra otpornost na udarce čak i na niskim temperaturama.
- Dobar je izolator
- Otpornost na zatezanje

ABS je tvrd i žilav materijal i samim tim pruža odličnu otpornost na mehanička oštećenja. Takođe ABS poseduje izuzetna svojstva izolacije za električne uređaje.

Suitable for indoor installation and outdoor installation, protected against weather influences
Ambient temperature: -25°C - +60°C ABS is an ideal choice of materials for various structural applications, among which the production

of a cable junction box is a consequence of several physical properties, such as:

- It is a very hard material
- Good impact resistance even at low temperatures.
- It is a good insulator
- Tensile strength

ABS is a strong and durable material and therefore provides excellent resistance to mechanical damage. ABS also has exceptional insulating properties for electrical devices



Razvodna kutija OG sa 6 uvodnika nazidna 85x85x50, 100x100x50


Wall mounted junction box with 6 cable glands 85x85x50, 100x100x50



Šifra Code	Dimenzije i broj uvodnika <i>Dim. and no. of cable glands</i>	Opis / <i>Description</i>	Pak. Pack.	Bar kod EAN code	
146003	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA 85x85x50 IP54 / <i>JUNCTION BOX WITH 6 CABLE GLANDS 85x85x50 IP54</i>			
146004	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA 85x85x50 IP54 SIVA / <i>JUNCTION BOX WITH 6 CABLE GLANDS 85x85x50 IP54 GREY</i>			
146001	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA 100x100x50 IP54 / <i>JUNCTION BOX WITH 6 CABLE GLANDS 100x100x50 IP54</i>			
146002	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA 100x100x50 IP54 SIVA / <i>JUNCTION BOX WITH 6 CABLE GLANDS 100x100x50 IP54 GREY</i>			

A - 85mm
B - 85mm
C - 50mm

A - 100mm
B - 100mm
C - 50mm



Razvodna kutija OG sa 6 uvodnika nazidna 85x85x50, 100x100x50
Wall mounted junction box with 6 cable glands 85x85x50, 100x100x50



Višestepene membrane omogućavaju ulazak kablova različitih veličina
Mogućnost montaže PG uvodnika Uvođenje kablova moguće je i sa
leđa kutije. Montaža na zid pomoću vijaka 4mm
Materijal: ABS


Multistage membranes allow cables of different sizes to enter. Possibility
of mounting PG glands. The introduction of cables is also possible from
the back of the box. Wall mounting with 4 mm screws.
Material: ABS

**KABLOVSKI UVODNICI PVC/
CABLE GLANDS PVC**

Šifra Code	Model Model	Opis / Description	Pak. Pack.	Bar kod EAN code	
161024	BELI / WHITE	UGRADNJA U OTVOR Ø25 mm / MOUNTING INTO THE HOLE Ø25 mm	20	8 605009 127134	
161025	SIVI / GREY	UGRADNJA U OTVOR Ø25 mm / MOUNTING INTO THE HOLE Ø25 mm	20	8 605009 127141	

Razvodna kutija OG sa 6 uvodnika nazidna 100x100x60

Wall mounted junction box with 6 cable glands 100x100x60



Šifra Code	Dimenzije i broj uvodnika Dim. and no. of cable glands	Opis / Description	Pak. Pack.	Bar kod EAN code	
146005	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA I VIJCIMA 100X100X60 IP55 <i>JUNCTION BOX WITH 6 CABLE GLANDS AND SCREWS 100X100X60 IP55</i>		 8 605 009 128 742	
146006	Ø14mm 6	RAZVODNA OG KUTIJA SA 6 UVODNICA I VIJCIMA 100X100X60 IP55 SIVA <i>JUNCTION BOX WITH 6 CABLE GLANDS AND SCREWS 100X100X60 IP55 GREY</i>		 8 605 009 126 236	

Višestepene membrane omogućavaju ulazak kablova različitih poprečnih preseka Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijka. Na taj način je poklopac uvek dostupan instalateru. Mogućnost montaže PG uvodnika Uvođenje kablova moguće je i sa leđa kutije

Montaža na zid pomoću vijaka 4mm

Materijal: ABS

Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu



Multistage membranes allow cables of different sizes to enter. Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box.

Possibility of mounting PG glands


Wall mounting with 4 mm screws.

Material: ABS

Recommendation: Place the box so that the longer screw is on the left or right lower corner.





Razvodna kutija OG nazidna 100x100x60 sa vijcima
Wall mounted junction box 100x100x60 with screws




Šifra Code	Dimenzije i broj uvodnika Dim. and no. of cable glands	Opis / Description	Pak. Pack.	Bar kod EAN code	
146007	Ø14mm	RAZVODNA OG KUTIJA SA VIJCIMA 100X100X60 IP65 JUNCTION BOX WITH SCREWS 100X100X60 P65	20	8 605 009 128 759	
146008	Ø14mm	RAZVODNA OG KUTIJA SA VIJCIMA 100X100X60 IP65 SIVA JUNCTION BOX WITH SCREWS 100X100X60 IP65 GREY	20	8 605 009 128 742	

Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omoćućava rotaciju poklopca nakon skidanja preostala tri vijka. Na taj način je poklopac uvek dostupan instalateru. Uvođenje kablova moguće je i sa leđa kutije
Montaža na zid pomoću vijaka 4mm
Materijal: ABS
Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu. Zaštitni čepovi kojima se poklapaju otvori predviđeni za montažu kutije na zid, omogućavaju da stepen zaštite ostane Ip65.

Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box.
Wall mounting with 4 mm screws.
Material: ABS
Recommendation: Place the box so that the longer screw is on the left or right lower corner. Protective plugs that match the openings provided for mounting the box on the wall, allow a degree of protection to remain Ip65.



Razvodna kutija OG sa 10 uvodnika nazidna 155x155x80
Wall mounted junction box with 10 cable glands 155x155x80




DUŽI VIJAK
LONGER SCREW

Šifra Code	Dimenzije i broj uvodnika Dim. and no. of cable glands	Opis / Description	Pak. Pack.	Bar kod EAN code
146097	Ø20mm 10	RAZVODNA OG KUTIJA SA 10 UVODNICA I VIJCIMA 155X155X80 IP55 JUNCTION BOX WITH 10 CABLE GLANDS AND SCREWS 155X155X80 IP55	5	816050091129527
146098	Ø20mm 10	RAZVODNA OG KUTIJA SA 10 UVODNICA I VIJCIMA 155X155X80 IP55 SIVA JUNCTION BOX WITH 10 CABLE GLANDS AND SCREWS 155X155X80 IP55 GREY	5	816050091129534




Višestepene membrane omogućavaju ulazak kablova različitih poprečnih preseka Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijka. Na taj način je poklopac uvek dostupan instalateru. Kutija se isporučuje sa spoljnim nosačima namenjenim za montaže kutije na zidu. Mogućnost montaže PG uvodnika
Uvođenje kablova moguće je i sa leđa kutije
Montaža na zid pomoću vijaka 4mm
Materijal: ABS
Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu.

Multistage membranes allow cables of different sizes to enter. Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box. Possibility of mounting PG glands
The introduction of cables is also possible from the back of the box
Wall mounting with 4 mm screws.
Material: ABS
Recommendation: Place the box so that the longer screw is on the left or right lower corner




NOSAČ RAZVODNE OG KUTIJE
MOUNTING CARRIER



A - 155mm
B - 155mm
C - 80mm

Razvodna kutija OG nazidna 155x155x80 sa vijcima
Wall mounted junction box 155x155x80 with screws





Šifra Code	Dimenzije otvora Dimensions of cable glands	Opis / Description	Pak. Pack.	Bar kod EAN code	
146099	Ø20mm	RAZVODNA OG KUTIJA SA VIJCIMA 155X155X80 IP65 <i>JUNCTION BOX WITH SCREWS 155X155X80 IP65</i>	5	8 605009 1129541	
146100	Ø20mm	RAZVODNA OG KUTIJA SA VIJCIMA 155X155X80 IP65 SIVA <i>JUNCTION BOX WITH SCREWS 155X155X80 IP65 GREY</i>	5	8 605009 1129558	

Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijka. Na taj način je poklopac uvek dostupan instalateru. Kutija se isporučuje sa spoljnim nosačima namenjenim za montaže kutije na zidu
Uvođenje kablova pomoću PG uvođenika
Materijal: ABS
Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu.
Zaštitni čepovi kojima se poklapaju otvori predviđeni za montažu kutije na zid, omogućavaju da stepen zaštite ostane Ip65.


Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer.
The junction box is supplied with external brackets intended for wall mounting of the box.

Material: ABS
Recommendation: Place the box so that the longer screw is on the left or right lower corner.
Protective plugs that match the openings provided for mounting the box on the wall, allow a degree of protection to remain Ip65.



Razvodna kutija OG sa 16 uvodnika nazidna 210x210x100

Wall mounted junction box with 16 cable glands 210x210x100





Šifra Code	Dimenzije i broj uvodnika <i>Dim. and no. of cable glands</i>	Opis / <i>Description</i>	Pak. Pack.	Bar kod EAN code
146102	Ø25-Ø32mm 16	RAZVODNA OG KUTIJA SA 16 UVODNICA I VIJCIMA 210X210X100 IP55 <i>JUNCTION BOX WITH 16 CABLE GLANDS AND SCREWS 210X210X100 IP55</i>	5	8 605 009 113 46 20
146103	Ø25-Ø32mm 16	RAZVODNA OG KUTIJA SA 16 UVODNICA I VIJCIMA 210X210X100 IP55 SIVA <i>JUNCTION BOX WITH 16 CABLE GLANDS AND SCREWS 210X210X100 IP55 GREY</i>	5	8 605 009 113 46 37



Višestepene membrane omogućavaju ulazak kablova različitih poprečnih preseka Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijaka. Na taj način je poklopac uvek dostupan instalateru. Kutija se isporučuje sa spoljnim nosačima namenjenim za montažu kutije na zidu.
Mogućnost montaže PG uvodnika
Materijal: ABS
Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu.

Multistage membranes allow cables of different sizes to enter. Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box.
Possibility of mounting PG glands
The introduction of cables is also possible from the back of the box
Wall mounting with 4 mm screws.
Material: ABS
Recommendation: Place the box so that the longer screw is on the left or right lower corner.



Razvodna kutija OG sa vijcima 210x210x100
Wall mounted junction box 210x210x100 with screws






Table with 5 columns: Šifra Code, Dimenzije otvora / Dimensions of cable glands, Opis / Description, Pak. Pack., and Bar kod / EAN code. It lists two models: 146104 (IP65) and 146105 (IP55 GREY).

Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijka. Na taj način je poklopac uvek dostupan instalateru. Kutija se isporučuje sa spoljnim nosačima namenjenim za montažu kutije na zidu. Uvođenje kablova pomoću PG uvođenika. Materijal: ABS. Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu. Zaštitni čepovi kojima se poklapaju otvori predviđeni za montažu kutije na zid, omogućavaju da stepen zaštite ostane Ip65.


Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box. Material: ABS. Recommendation: Place the box so that the longer screw is on the left or right lower corner. Protective plugs that match the openings provided for mounting the box on the wall, allow a degree of protection to remain Ip65.



Razvodna kutija OG transparentna 210x210x100
Wall mounted junction box 210x210x100



DUŽI VIJAK
LONGER SCREW



Šifra Code	Dimenzije i broj uvodnika Dim. and no. of cable glands	Opis / Description	Pak. Pack.	Bar kod EAN code
146106	Ø32mm 16	RAZVODNA OG KUTIJA SA 16 UVODNICA I VIJCIMA 210x210x100 IP55 SIVA TRANSPARENTNA JUNCTION BOX WITH 16 CABLE GLANDS AND SCREWS 210x210x100 IP55 GREY TRANSPARENT	5	8 605009 134668
146107	Ø32mm	RAZVODNA OG KUTIJA SA VIJCIMA 210x210x100 IP65 SIVA TRANSPARENTNA JUNCTION BOX WITH SCREWS 210x210x100 IP65 GREY TRANSPARENT	5	8 605009 134675



Višestepene membrane omogućavaju ulazak kablova različitih poprečnih preseka. Brzo zatvaranje pomoću vijaka, od kojih je jedan duži sa dvostrukim navojem na telu, što omogućava rotaciju poklopca nakon skidanja preostala tri vijaka. Na taj način je poklopac uvek dostupan instalateru. Kutija se isporučuje sa spoljnim nosačima namenjenim za montaže kutije na zidu. Uvođenje kablova pomoću PG uvodnika.

Materijal: ABS

Preporuka: Pri montaži kutiju postaviti tako da duži vijak bude u levom ili desnom donjem uglu.


Zaštitni čepovi kojima se poklapaju otvori predviđeni za montažu kutije na zid, omogućavaju da stepen zaštite ostane Ip65

Quick closing with screws, one of which is longer with a double thread on the body, which allows the cover to rotate after removing the remaining three screws. That's the way it is the cover is always available to the installer. The junction box is supplied with external brackets intended for wall mounting of the box.


Material: ABS

Recommendation: Place the box so that the longer screw is on the left or right lower corner.

Protective plugs that match the openings provided for mounting the box on the wall, allow a degree of protection to remain Ip65.



NOSAČ RAZVODNE OG KUTIJE
MOUNTING CARRIER



ELEKTRIČNI KALORIFERI

FAN HEATERS - CALORIFIERS

„MTG“ električni kaloriferi su najbolji izbor za brzo zagrevanje malih i srednjih prostorija, kao što su radionice, garaže, restorani. Značajno su zastupljeni u velikim prostorijama kao što su sportske hale, fabričke prostorije, magacinska skladišta, industrijski prostori. Regulisanje željene temperature vrši se preko regulacionog mehaničkog termostata. Kalorifer pruža trenutnu toplotu, potpuno suhu bez kondenzacije, bez gasa, bez dima i bez mirisa. Zagrevanje se vrši veoma brzo i ekonomično i u najhladnijim vremenskim prilikama, uz potpuno očuvanje ekološke sredine. Tehničko rešenje i dizajn kalorifera omogućava pouzdan rad i dug vek trajanja. Za montažu kalorifera, preporučujemo zidni nosač namenski dizajniran i izrađen za tu svrhu.

“MTG” Electrical fan heaters (calorifiers) are a best choice for quickly heating small, medium-sized rooms, such as workshops, garages, restaurants, and also have their used in large rooms such as sport halls, factory rooms, warehouses. The regulation of the desired temperature is controlled via the regulating mechanical thermostat. Delivering an instant heat which is totally dry with no condensation, no gas, no fumes and no odours. Heating works very quickly and economically even in the coldest weather conditions, with full protection of ecological environment. Technical solution and design of fan heater (calorifier) provides reliable operation and long lifetime. We recommend our product holder that is designed specifically for that purpose



ELEKTRIČNI KALORIFERI FAN HEATERS - CALORIFIERS

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ³ mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501001	240x280x375	60	25	600	10		



snaga 3kW power	napon 250V voltage	opseg reg. temp. 5-30 C° temperature range	snaga motora 16W motor power	amperaža osigurača 16A fuse amperage
------------------------------	---------------------------------	---	---	---

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ³ mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501003	340x380x440	110	45	880	14		



snaga 6kW power	napon 440V voltage	opseg reg. temp. 5-30 C° temperature range	snaga motora 16W motor power	amperaža osigurača 3x10A fuse amperage
------------------------------	---------------------------------	---	---	---

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ³ mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501005	340x380x440	150	60	1250	14		



snaga 9kW power	napon 440V voltage	opseg reg. temp. 5-30 C° temperature range	snaga motora 25W motor power	amperaža osigurača 3x16A fuse amperage
------------------------------	---------------------------------	---	---	---

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ³ mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501007	340x380x440	200	75	1250	14		



snaga 12kW power	napon 440V voltage	opseg reg. temp. 5-30 C° temperature range	snaga motora 25W motor power	amperaža osigurača 3x20A fuse amperage
-------------------------------	---------------------------------	---	---	---



Svi kaloriferi poseduju
sobni termostat
*All fan heaters-calorifiers
have a room thermostat*



Monofazni utikač poseduju
kaloriferi od 3kW
*One phase plug has fan
heaters-calorifiers 3kW*



Trofazni utikač poseduju
kaloriferi od 6kW 9kW i 12kW
*Three phase plug has fan
heaters-calorifiers has 6kW
9kW and 12kW*

ILI
OR



Mogućnost izrade industrijskog utikača
kod kalorifera od 6kW 9kW i 12kW
*The possibility of making it with
industrial socket on calorifiers 6kW
9kW and 12kW*

ELEKTRIČNI KALORIFERI SA MODULARNOM SKLOPKOM

FAN HEATERS - CALORIFIERS WITH MODULAR COUPLING

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ² mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501002	240x280x375	60	25	600	10		



snaga

3kW

power

napon

250V

voltage

opseg
reg. temp.

**5-30
C°**

temperature
range

snaga
motora

16W

motor
power

amperaža
osigurača

16A

fuse
amperage

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ² mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501004	340x380x440	110	45	880	14		



snaga

6kW

power

napon

440V

voltage

opseg
reg. temp.

**5-30
C°**

temperature
range

snaga
motora

16W

motor
power

amperaža
osigurača

3x10A

fuse
amperage

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ² mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501006	340x380x440	150	60	1250	14		



snaga

9kW

power

napon

440V

voltage

opseg
reg. temp.

**5-30
C°**

temperature
range

snaga
motora

25W

motor
power

amperaža
osigurača

3x16A

fuse
amperage

Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ² mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501008	340x380x440	200	75	1250	14		



snaga

12kW

power

napon

440V

voltage

opseg
reg. temp.

**5-30
C°**

temperature
range

snaga
motora

25W

motor
power

amperaža
osigurača

3x20A


fuse
amperage



Svi kaloriferi poseduju
sobni termostats
*All fan heaters-calorifiers
have a room thermostat*



Monofazni utikač poseduju
kaloriferi od 3kW
*One phase plug has fan
heaters-calorifiers 3kW*



Trofazni utikač poseduju
kaloriferi od 6kW 9kW i 12kW
*Three phase plug has fan
heaters-calorifiers has 6kW
9kW and 12kW*

ILI
OR



Mogućnost izrade industrijskog utikača
kod kalorifera od 6kW 9kW i 12kW
*The possibility of making it with
industrial socket on calorifiers 6kW
9kW and 12kW*

ELEKTRIČNI KALORIFERI SA MODULARNOM SKLOPKOM FAN HEATERS - CALORIFIERS WITH MODULAR COUPLING



Šifra Code	Dimenzije Dimensions mm	Zagreva prostor Heating area mm ³ mm ²		Protok vazduha Air flow m ³ /h	Težina Weight kg	Pak. Pack.	Bar kod EAN code
501009	340x380x515	250	100	1400	15		



snaga

15kW

power

napon

440V

voltage

opseg
reg. temp.

**5-30
C°**

temperature
range

snaga
motora

34W

motor
power

amperaža
osigurača

3x25A

fuse
amperage



Svi kaloriferi poseduju
sobni termostat
*All fan heaters-calorifiers
have a room thermostat*



Kalorifer od 15kW poseduje
industrijski utikač
*Calorifiers 15kW have
industrial socket*

NOSAČ KALORIFERA CALORIFER HOLDER



Šifra Code	Artikal / Article	Pak. Pack.	Bar kod EAN code
501010	NOSAČ KALORIFERA / <i>CALORIFER HOLDER</i>		



KUPATILSKE GREJALICE

BATHROOM HEATER

"MTG" grejalica za kupatilo je električni reflektujući grejač prostora koji se koristi u domaćinstvima za zagrevanje kupatila a, ako je potrebno, može se koristiti i u svim ostalim prostorima kućnog okruženja. Grejanje se vrši statičkim prenosom toplotne energije preko električnih infra grejača, usmerenih prema primarnoj zoni (mestu, području) grejnog prostora. Grejalica za kupatilo se montira na zid a uključuje se preko indikatora zidnog prekidača. Proizvod je izrađen od visoko kvalitetnih materijala, prohroma i drugih metalnih legura koji garantuju visok kvalitet samog proizvoda.

"MTG" Bathroom heater is an electric reflector heater are used in households to warm the bathroom and, if necessary, in the other spaces of house environment. The heating is done by static heat transfer of the tube electric infra heaters, which is directed by on primary zone (area, place) to warming space. The bathroom heater is mounting on the wall, and is switched on by a switch wall indicator. It is made of quality materials that guarantee high quality product



KUPATILSKE GREJALICE / BATHROOM HEATER



Šifra Code	Model Model	Pak. Pack.	Bar kod EAN code	
502005	1200W			

Šifra Code	Model Model	Pak. Pack.	Bar kod EAN code	
502007	2000W			

Šifra Code	Model Model	Pak. Pack.	Bar kod EAN code	
502006	1200W+800W sa poteznim prekidačem with pull cord			

LINIJSKI SISTEM RASVETE **LINEAR LIGHTING SYSTEM**

Naš novi sistem linijske rasvete, temperature svetla 4000K, se sastoji od modula-segmenata:

1. Pravi modul, dužina: 600, 900, 1.200, 1.500 mm
2. T modul 626x313 mm
3. L modul 313x313 mm
4. X modul 626x626 mm

Zahvaljujući ovakvom konceptu, moguće je kreiranje rasporeda svetlosnih modula-segmenata po želji čime se postiže željeni estetski, ali i svetlosni efekat u prostoru.

Linijski sistem rasvete je pogodan za kancelarije, hodnike, prodavnice, tržne centre...

Kućiste modula-segmenata je izrađeno od eloksiranog aluminijuma mat srebrne boje sa opal difuzorom.

Svaki modul-segment ima svoje nezavisno napajanje, dok je svaki modul-segment sa prolaznim ožičenjem.

Montaža je viseća pomoću sajli.

Svaki od modula se isporučuje odgovarajućim elementima potrebnim za montažu.

Opciono na zahtev kupca je moguća proizvodnja sa modulima temperature svetlosti od 6500K. Moguća je proizvodnja kućišta modula svetiljke i u drugim bojama.

Our new system of line lighting system, with light temperature of 4000K, consists of module-segments:

1. Straight module with lenght of : 600, 900, 1200, 1500 mm
2. T module with dimensions of : 626x313 mm
3. L module with dimensions of : 313x313 mm
4. X module with dimensions of : 626x626 mm

Thanks to this concept, it is possible to create disposition of light modules-segments as desired, which achieves the desired aesthetic and light effect in ambiance.

Line lighting system is suitable for offices, hallways, shops, shopping malls ...

The housing of module-segment are made from anodized aluminium matt silver color with opal diffuser.

Each module-segment has its own power supply, while each module has a transitory wiring system.


The assembly is suspended by means of cables.

Each of the modules is supplied with the appropriate elements required for assembly.

Optionally:

At the customer's request, production with light temperature modules of 6500K is possible. It is possible to produce the housing of the lamp module in other colors as well

LINIJSKI SISTEM RASVETE/ LINEAR LIGHTING SYSTEM



Šifra Code	Opis / Description	Tip modula/ Type of modules	Broj modula/ Number of modules	Led drajver/ LED driver	Ukupan broj led dioda/ LEDs total	Pak. Pack.	Bar kod EAN code
350078	LINIJSKA SVETILJKA LED TRI LINE MODUL/ LINEAR LIGHT LED THREE LINE MODULE 600mm 25W >3000lm 4000K	LED 60-38M1	2	LED-210-25PWN1	76		 8 605009 145022
350079	LINIJSKA SVETILJKA LED TRI LINE MODUL/ LINEAR LIGHT LED THREE LINE MODULE 900mm 32W >3850lm 4000K	LED 150-38M1	3	LED-270-32PWN1	114		 8 605009 145046
350080	LINIJSKA SVETILJKA LED TRI LINE MODUL/ LINEAR LIGHT LED THREE LINE MODULE 1200mm 40W >4800lm 4000K	LED 150-38M1	4	LED-330-39PWN1	152		 8 605009 145046
350081	LINIJSKA SVETILJKA LED TRI LINE MODUL/ LINEAR LIGHT LED THREE LINE MODULE 1500mm 54W >6600lm 4000K	LED 150-38M1	5	LED-450-54-PWN1	190		 8 605009 145053

protok

Radni napon

220-240V

Supply voltage

Frekvencija

50/60Hz

Frequency

Faktor snage

>0.95

Power factor

Efikasnost

>120lm/W

Efficiency

Ambijentalna temperatura Indeks prikazivanja boja

-20~50°C

Ambient temperature Color rendering index (CRI)

>80

Vek trajanja

50000h


Lifespan

Garancija

3 years

Warranty

LINIJSKI SISTEM RASVETE/ LINEAR LIGHTING SYSTEM




Svaka svetiljka je prolazno ožičena.

Each linear light is transiently wired.


613 mm




913 mm



1213 mm



1513 mm




Opciono se može instalirati da svetiljka ima temperaturu boje svetla 6500K.

It can be installed that the light has light color temperature 6500K.



LINIJSKI SISTEM RASVETE **LINEAR LIGHTING SYSTEM**






Šifra Code	Opis / Description	Tip modula/ Type of modules	Broj modula/ Number of modules	Led drajver/ LED driver	Ukupan broj led dioda/ LEDs total	Pak. Pack.	Bar kod EAN code
350082	LINIJSKA RASVETA LED TRI LINE MODUL L/ <i>LINEAR LIGHT LED THREE LINE MODULE</i> 25W >3000lm 4000K	LED 60-38M1	2	LED-210-25PWNI	76		 8 605009 1145060 
350083	LINIJSKA RASVETA LED TRI LINE MODUL T/ <i>LINEAR LIGHT LED THREE LINE MODULE</i> 32W >3850lm 4000K	LED 150-38M1	3	LED-270-32PWNI	114		 8 605009 1145077 
350084	LINIJSKA RASVETA LED TRI LINE MODUL X/ <i>LINEAR LIGHT LED THREE LINE MODULE</i> 40W >4800lm 4000K	LED 150-38M1	4	LED-330-39PWNI	152		 8 605009 1145084 

protok

Radni napon 220-240V Supply voltage	Frekvencija 50/60Hz Frequency	Faktor snage >0.95 Power factor	Efikasnost >120lm/W Efficiency	Ambijentalna temperatura -20~50°C Ambient temperature	Indeks prikazivanja boja >80 Color rendering index (CRI)	Vek trajanja 50000h Lifespan	Garancija 3 years Warranty
---	-------------------------------------	---------------------------------------	--------------------------------------	---	--	------------------------------------	----------------------------------



LINIJSKI SISTEM RASVETE LINEAR LIGHTING SYSTEM



Svaka svetiljka je prolazno ožičena.
Each linear light is transiently wired.

Opciono se može instalirati da svetiljka ima
temperaturu boje svetla 6500K.
*It can be installed that the light has
light color temperature 6500K.*

Viseća varijanta montaže
Hanging mounting variant
Pravi modul / *Linear module*
L modul / *L module*
T modul / *T module*
X modul / *X module*



LINIJSKI SISTEM RASVETE **LINEAR LIGHTING SYSTEM**

Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code
701990	SPOJNICA I2 (ZA LAMPE) / COUPLING I2 (FOR LIGHT)		 
701992	KLIZNA SPOJNICA POCINKOVANA I1 (ZA LAMPE) / SLIDING COUPLING I1 GALVANIZED (FOR LIGHT)		 
317056	SET SAJLI ZA VISEĆU MONTAŽU/ SET CORDES FOR HANGING MOUNTING SOLED HD023-SK 1x1000mm		 
317057	SET SAJLI ZA VISEĆU MONTAŽU/ SET CORDES FOR HANGING MOUNTING SOLED HD024-SK 1x1000mm+500mm/		 


LINIJSKI SISTEM RASVETE **LINEAR LIGHTING SYSTEM**





KLIZNA SPOJNICA ZA VISEĆU
MONTAŽU UZ POMOĆ SAJLI
*SLIDING COUPLING FOR HANGING
ASSEMBLY USING CABLES*




SPOJNICA ZA NASTAVLJANJE SVETILJKI
LIGHT ADJUSTMENT COUPLING




SET SAJLI ZA VISEĆU MONTAŽU/
CORDES FOR HANGING INSTALLATION




701992



701990







VIŠENAMENSKE LED LAMPE

MULTIFUNCTIONAL LED LAMPS

Primena:

Pogodne za samokreiranje rasporeda i oblika svetla u prostoru. Kombinacijom gotovih segmenata postiže se željeni efekat. Preporučuje se za kancelarije, hodnike, prodavnice, spavaće sobe i kupatila.

Opcije:

Nadgradna montaža

Pravi modul I,

Senzor pokreta omogućuje da se lampa aktivira pokretom.

Opis:

Eloksirani aluminijum,

Mat srebrna boja,

Opalni difuzor.

Svaki element ima nezavisno napajanje (drajver).

Opciono se može instalirati da svetiljka ima temperaturu boje svetla 6500K, instaliranje microwave senzora, kao i da se dodaju priključnice.

Na zahtev kupca, svetiljke se mogu obojiti i u drugim bojama i uvoditi kablovi sa različitih strana i različitih dužina modula.

Use:

Suitable for self-creation of layouts and shapes of light in space. By combining the finished segments, the desired effect is achieved. Recommended for offices, hallways, bedrooms and bathrooms.

Options:

Hanging mounting variant

Linear module I,

The motion sensor allows the lamp to be activated by motion.

Description:

Anodized aluminum,

Matt silver color,

Opal diffuser,

Constant driver included in each lamp.



Installation:

It's optional to install that the lantern has a fever 6500K light color, installing microwave sensors, and adding ports. At the customer's request, lanterns can be painted in other colors and cables are introduced from different sides and different lengths of the module.

**VIŠENAMNESKE LED SVETILJKE
MULTIFUNCTIONAL LED LAMPS**



**NEOGRANIČEN NAČIN PRIMENE
UNLIMITED METHOD OF APPLICATION**



VIŠENAMNESKE LED SVETILJKE

MULTIFUNCTIONAL LED LAMPS



Šifra Code	Opis / Description	Pak. Pack.	Bar kod EAN code	
347071	VIŠENAMENSKA SVETILJKA LED TRI LINE / <i>MULTIFUNCTIONAL LED LAMP THREE LINE</i> 25W 4000K 320mm		 8 605 009 144 926	
347072	VIŠENAMENSKA SVETILJKA LED TRI LINE / <i>MULTIFUNCTIONAL LED LAMP THREE LINE</i> 25W 4000K 620mm		 8 605 009 144 933	
347073	VIŠENAMENSKA SVETILJKA LED TRI LINE SA PREKIDAČEM <i>MULTIFUNCTIONAL LED LAMP THREE LINE WITH SWITCH</i> 25W 4000K 340mm		 8 605 009 144 940	
347074	VIŠENAMENSKA SVETILJKA LED TRI LINE SA PREKIDAČEM <i>MULTIFUNCTIONAL LED LAMP THREE LINE WITH SWITCH</i> 25W 4000K 640mm		 8 605 009 144 957	
347075	VIŠENAMENSKA SVETILJKA LED TRI LINE SA PREKIDAČEM I UTIČNICOM <i>MULTIFUNCTIONAL LED LAMP THREE LINE WITH SWITCH AND SOCKET</i> 25W 4000K 400mm		 8 605 009 144 964	
347076	VIŠENAMENSKA SVETILJKA LED TRI LINE SA PREKIDAČEM I UTIČNICOM <i>MULTIFUNCTIONAL LED LAMP THREE LINE WITH SWITCH AND SOCKET</i> 25W 4000K 700mm		 8 605 009 144 971	

NADGRADNI RAMOVI ZA LED PANELE

SURFACE MOUNTING FRAMES FOR LED PANELS

Jednostavno rešenje za ugradnju led panela većih dimenzija omogućavaju nadgradni ramovi. Možete ih ugraditi uz bilo koji led panel odgovarajućih dimenzija. Možete i da zamenite drajver ili panel a da ostavite postojeći ram. Instalacija se lako demontira. Može se ugraditi na gips, beton ili drvo. Izrađeni od antikorozivnog lakog aluminijuma (plastificiranog u beloj boji) čvrste konstrukcije koja efikasno sakriva drajver i instalaciju led panela. Nadgradni led paneli se koriste za osvetljenje bolnica, supermarketa, garaža, školskih ustanova, šoping molova, kancelarija i stambenih prostorija.

A simple solution for the installation of larger LED panels is provided by surface-mounted frames. The frames can be installed with any LED panel of appropriate dimensions. You can also replace the driver or panel without removing the existing frame. It is very easy to dismantle. It can be applied on plasterboard, concrete or wooden surfaces. Made of corrosion-resistant lightweight aluminium (with white lamination) with a solid construction that effectively covers the driver and wiring of the LED panel. Surface-mounted LED panels are used to illuminate hospitals, supermarkets, garages, schools, shopping malls, offices and residential areas



NADGRADNI RAMOVI - UGAONA MASKA ZA LED PANELE ALUMINIJUMSKI

SURFACE MOUNTING FRAMES - FOR LED PANELS ALUMINUM



Laka montaža na klik, II način
Easy installation self-assemble option II



Šifra
Code

Dimenzije / *Dimension*
L x W x H

Bar kod
EAN code

317059

600x600x45



materijal

Al

material

boja

Bela
White

color

Šifra
Code

Dimenzije / *Dimension*
L x W x H

Bar kod
EAN code

317061

1200x300x45



materijal

Al

material

boja

Bela
White

color

Šifra
Code

Dimenzije / *Dimension*
L x W x H

Bar kod
EAN code

317060

600x300x45



materijal

Al

material

boja

Bela
White

color

Šifra
Code

Dimenzije / *Dimension*
L x W x H

Bar kod
EAN code

317062

1200x600x45



materijal

Al

material

boja

Bela
White


color

NADGRADNI RAMOVI ZA LED PANELE PVC BELI

SURFACE MOUNTING FRAMES - FOR LED PANELS PVC WHITE



Laka montaža
na klik
Easy installation
self-assemble



Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code
317044	600x600x50,2	 8 605009 130967



materijal

PVC

material

težina kg

0,72

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code
317045	600x300x50,2	 8 605009 130974



materijal

PVC

material

težina kg

0,56

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code
317047	1200x300x50,2	 8 605009 130981



materijal

PVC

material

težina kg

0,95

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code
317046	1200x600x50,2	 8 605009 130998



materijal

PVC

material

težina kg

1,10

weight kg

boja

**Bela
White**

color

NADGRADNI RAMOVI - UGAONA MASKA ZA LED PANELE ALUMINIJUMSKI

SURFACE MOUNTING FRAMES - FOR LED PANELS ALUMINIUM



Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code	
317075	600x300x70	8 605 009 130585	

materijal

Al

material

težina kg

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code	
317076	600x600x70	8 605 009 130592	

materijal

Al

material

težina kg

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code	
317077	1200x300x70	8 605 009 130608	

materijal

Al

material

težina kg

weight kg

boja

**Bela
White**

color

Šifra Code	Dimenzije / <i>Dimension</i> L x W x H	Bar kod EAN code	
317078	1200x600x70	8 605 009 130615	

materijal

Al

material

težina kg


weight kg

boja



**Bela
White**

color

UGRADNI RAMOVI ZA LED PANELE ALUMINIJUMSKI RECESSED MOUNTING FRAMES - FOR LED PANELS ALUMINUM



plastični
držači
plastic
holders



Šifra Code	Dimenzije Dimension L x W x H	Bar kod EAN code	
317071	600x600x40	 8 605009 130806	

materijal

Al

material

boja

**Bela
White**

color

Šifra Code	Dimenzije Dimension L x W x H	Bar kod EAN code	
317072	1200x300x40	 8 605009 130813	

materijal

Al

material

boja

**Bela
White**

color

Šifra Code	Dimenzije Dimension L x W x H	Bar kod EAN code	
317070	600x300x40	 8 605009 130790	

materijal

Al

material

boja

**Bela
White**

color

Šifra Code	Dimenzije Dimension L x W x H	Bar kod EAN code	
317074	1200x600x40	 8 605009 130783	

materijal

Al





material

boja

**Bela
White**

color

KONFEKCIONIRANJE SAVITLJIVIH KABLOVA RAZLIČITIH PRESEKA I DUŽINA CONFECTIONING OF FLEXIBLE CABLES OF DIFFERENT SECTIONS AND LENGTHS



Uslužno konfekcioniranje savitljivih kablova je novija delatnost MAK TRADE GROUP. Tehničko znanje, iskustvo u radu sa kablovima, kao i odgovarajući alati, omogućavaju nam brzo i kvalitetno ulivanje nerastavnih utikača i priključnica. U procesu izrade omotača utikača priključnica koriste se kvalitetni PVC granulati poznatih proizvođača.

Service confectioning of flexible cables is a newer activity of MAK TRADE GROUP. Technical knowledge, experience in working with cables, as well as suitable tools, enable us to insert non-rewireable plugs and sockets quickly and in quality manner. Quality PVC granulates of the renowned manufacturers are used in the process of manufacturing the sheath of plugs and sockets.

Nerastavni dvopolni utikač
*Unwireable two-pole
angled plug*

2P+E, 16A, 250V



MTG-403

H05VV-F	H05RR-F
3x0,75	3x1,00
3x1,00	3x1,50
3x1,50	3x2,50
3x2,50	

Nerastavni dvopolni utikač
*Unwireable two-pole
straight plug*

2P, 16A, 250V



MTG-402

H05VV-F	H05RR-F
2x0,75	2x1,00
2x1,00	2x1,50
2x1,50	

Nerastavni dvopolni utikač
*Unwireable two-pole
straight plug*

2P, 2,5A, 250V EURO



H03VV-F
2x0,75

Nerastavni tropolni utikač
*Unwireable three-pole
angled plug*

3P+E+N, 16A, 440V



MTG-3P

H05VV-F	H05RR-F
5x2,50	5x2,50

Nerastavna dvopolna
priključnica
*Unwireable two-pole
straight socket*

2P+E, 16A, 250V



MTG-703

H05VV-F	H05RR-F
3x0,75	3x1,00
3x1,00	3x1,50
3x1,50	3x2,50
3x2,50	

Nerastavna dvopolna
priključnica
*Unwireable two-pole
straight socket*


2P, 16A, 250V



MTG-701B

H05VV-F	H05RR-F
2x0,75	2x1,00
2x1,00	2x1,50
2x1,50	

KABLOVSKI SETOVI / *CABLE SETS*



Izrada setova provodnika po specifikaciji klijenata
*Manufacturing of conductor sets according to
client's specification*



PRIKLJUČNICE POSEDUJU ZAŠTITU ZA DECU!
WITH CHILDREN PROTECTION!



OPREMA I MAŠINE U PROIZVODNJI MAK TRADE GROUP EQUIPMENT AND MACHINES IN PRODUCTION MAK TRADE GROUP



Oprema i mašine u proizvodnji Mak Trade Group

Upotrebljavamo kvalitetne materijale, jer oni obezbeđuju visok kvalitet krajnjeg proizvoda. Mak trade group primenjuje celokupan proizvodni ciklus. Mašine poseduju alate koje mogu da naprave proizvode koji odgovaraju najvišim zahtevima tržišta. Pridržavamo se propisa o bezbednosti radnika i upravljanja mašinama. Novi motori i inteligentna kontrola ubrizgavanja i pokreta omogućuje precizan proces proizvodnje i široko polje primene na različite artikle.

Equipment and machinery in production Mak Trade Group

We use quality materials, because they provide high quality of the final product. Mak trade group applies the entire production cycle. The machines have tools that can make products that meet the highest market demands. We comply with regulations on worker safety and machine management. New engines and intelligent injection and motion control enable a precise production process and a wide field of application to various items

